



## SAFETY DATA SHEET

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**                                **MEDIUM URETHANE REDUCER**  
**Other means of identification**  
    **Product code**                                **UR-70**  
    **Recommended use**                        SOLVENT  
    **Restrictions**                                FOR PROFESSIONAL USE ONLY

#### Manufacturer/Importer/Supplier/Distributor information

**Company name**    TCPGlobal - Custom Shop  
**Address**            6695 Rasha Street  
                          San Diego, CA 92121  
                          United States

**Telephone**                    (858) 909-2110

**Website**                      [www.tcpglobal.com/Auto-Body/Custom-Shop](http://www.tcpglobal.com/Auto-Body/Custom-Shop)

**Emergency phone number**    EMERGENCY 24 Hrs.                    800-424-9300 ChemTrec

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids                                : Category 2  
Skin irritation                                    : Category 2  
Eye irritation                                     : Category 2A  
Germ cell mutagenicity                        : Category 1B  
Carcinogenicity                                 : Category 2  
Reproductive toxicity                         : Category 2  
Specific target organ tox-                     : Category 3 (Central nervous system)  
icity - single exposure  
Specific target organ tox-                     : Category 2 (Liver, Kidney, Central nervous system, Au-  
icity - repeated exposure                     ditory system)  
Specific target organ tox-                     : Category 2 (Auditory system, Eyes)  
icity - repeated exposure  
(Inhalation)

---

---

Aspiration hazard : Category 1

**GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H351 Suspected of causing cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs (Liver, Kidney, Central nervous system, Auditory system) through prolonged or repeated exposure.  
H373 May cause damage to organs (Auditory system, Eyes) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.  
P281 Use personal protective equipment as required.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

---

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P331 Do NOT induce vomiting.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

**Carcinogenicity:**

**IARC**

Group 2B: Possibly carcinogenic to humans

64742-49-0 Naphtha (pet), hydrotreated  
It

64742-89-8 Solvent naphtha (pet), It  
aliph.

100-41-4 Ethylbenzene

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

---

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Emergency Overview**

Appearance	liquid
Colour	clear
Hazard Summary	No information available.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

CAS-No.	Chemical Name	Concentration (%)
67-64-1	Acetone	30 - 50
64742-49-0	Naphtha (pet), hydrotreated lt	0 - 20
64742-89-8	Solvent naphtha (pet), lt aliph.	0 - 20
68410-97-9	Distillates, pet, lt dist hydrotreat process, low-boil	0 - 20
108-65-6	Glycol ether PM acetate	10 - 20
108-88-3	Toluene	10 - 20
110-19-0	Isobutyl acetate	10 - 20
123-86-4	n-Butyl acetate	5 - 10
1330-20-7	Mixed xylenes	5 - 10
100-41-4	Ethylbenzene	1 - 5
142-82-5	Heptane	0.1 - 1

**Synonyms** : CP 81-03,

**Special Notes:** : Functionally equivalent petroleum streams may be found in this preparation at varying concentrations. Mixed Xylenes contains the isomers o-, m-, p- Xylene, and Ethylbenzene. Trace amounts of Toluene and Benzene may also be present as impurities.

---

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours

---

---

	later. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Use a water spray to cool fully closed containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

---

For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for fire-fighting if necessary.

**NFPA Flammable and Combustible Liquids Classification:**

Flammable Liquid Class IB

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

---

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Container may be opened only under exhaust ventilation hood.  
Open drum carefully as content may be under pressure.

---

Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.  
 Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
67-64-1	Acetone	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA Z-1
		TWA	750 ppm 1,800 mg/m <sup>3</sup>	OSHA P0
		STEL	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA P0
64742-49-0	Naphtha (pet), hydrotreated lt	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
64742-89-8	Solvent naphtha (pet), lt aliph.	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
108-65-6	Glycol ether PM acetate	TWA	50 ppm	US WEEL
108-88-3	Toluene	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m <sup>3</sup>	NIOSH REL
		ST	150 ppm 560 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2

		TWA	100 ppm 375 mg/m <sup>3</sup>	OSHA P0
		STEL	150 ppm 560 mg/m <sup>3</sup>	OSHA P0
110-19-0	Isobutyl acetate	TWA	150 ppm	ACGIH
		TWA	150 ppm 700 mg/m <sup>3</sup>	NIOSH REL
		TWA	150 ppm 700 mg/m <sup>3</sup>	OSHA Z-1
		TWA	150 ppm 700 mg/m <sup>3</sup>	OSHA P0
123-86-4	n-Butyl acetate	TWA	150 ppm	ACGIH
		STEL	200 ppm	ACGIH
		ST	200 ppm 950 mg/m <sup>3</sup>	NIOSH REL
		TWA	150 ppm 710 mg/m <sup>3</sup>	NIOSH REL
		TWA	150 ppm 710 mg/m <sup>3</sup>	OSHA Z-1
		TWA	150 ppm 710 mg/m <sup>3</sup>	OSHA P0
		STEL	200 ppm 950 mg/m <sup>3</sup>	OSHA P0
1330-20-7	Mixed xylenes	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
100-41-4	Ethylbenzene	TWA	20 ppm	ACGIH
		STEL	125 ppm	ACGIH
		TWA	100 ppm 435 mg/m <sup>3</sup>	NIOSH REL
		ST	125 ppm 545 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA P0
		STEL	125 ppm 545 mg/m <sup>3</sup>	OSHA P0
142-82-5	Heptane	TWA	85 ppm 350 mg/m <sup>3</sup>	NIOSH REL
		C	440 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
		STEL	500 ppm 2,000 mg/m <sup>3</sup>	OSHA P0



---

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI
Toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI
Ethylbenzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift at end of work-week	0.7 g/g creatinine	ACGIH BEI

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

In the case of vapour formation use a respirator with an approved filter.

Hand protection

---

---

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Freezing Point	: No data available
Boiling Point (Boiling point/boiling range)	: 56 - 245 °C (133 - 473 °F)
Flash point	: < -18 °C (-0.40 °F)
Evaporation rate	: 1 Ethyl Ether
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 12.8 %(V) Calculated Explosive Limit
Lower explosion limit	: 1 %(V) Calculated Explosive Limit

---

---

Vapour pressure	: No data available
Relative vapour density	: > 1(Air = 1.0)
Relative density	: 0.827 @ 77.00 °F (77.00 °F)
Density	: 0.827 g/cm <sup>3</sup> @ 25 °C (77 °F)
Bulk density	: No data available
Water solubility	: No data available
Solubility in other sol- vents	: No data available
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization. Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Exposure to air. Exposure to moisture. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids alkalis Amines Ammonia halogens Peroxides Reducing agents Strong oxidizing agents Oxygen aluminum

---

---

nitrates  
organic absorbents such as sawdust, peat moss,  
ground corn cobs, etc.  
Bases  
metal salts

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### **Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 30000 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **67-64-1:**

Acute oral toxicity : LD50 (rat): 5,800 mg/kg

Acute inhalation toxicity : LC50 (rat): 76.0 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 : > 7,426 mg/kg

##### **64742-49-0:**

Acute oral toxicity : LD50 (rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

##### **64742-89-8:**

Acute oral toxicity : LD50 (rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

---

---

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**68410-97-9:**

Acute oral toxicity : LD50 (rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (rabbit): > 2,000 mg/kg

**108-65-6:**

Acute oral toxicity : LD50 (rat): 8,532 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**108-88-3:**

Acute oral toxicity : LD50 (rat, male): > 5,580 mg/kg

Acute inhalation toxicity : LC50 (rat, male and female): 28.1 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (rabbit): > 5,000 mg/kg

**110-19-0:**

Acute oral toxicity : LD50 (rat): 13,413 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (rat): 23.4 mg/l  
Exposure time: 4 h  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (rabbit): > 17,400 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**123-86-4:**

Acute oral toxicity : LD50 (rat): > 5,000 mg/kg

---

---

	Method: OECD Test Guideline 423 GLP: no
Acute inhalation toxicity	: LC50 (rat, male and female): > 21 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 GLP: yes
Acute dermal toxicity	: LD50 (rabbit, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes
<b>1330-20-7:</b>	
Acute oral toxicity	: LD50 (rat, male): 3,523 mg/kg Method: EU Method B.1 (Acute Toxicity, Oral) GLP: no
Acute inhalation toxicity	: LC50 (rat, male): 6700 ppm Exposure time: 4 h Method: Directive 67/548/EEC, Annex V, B.2. Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	: LD50 (rabbit): 1,100 mg/kg Assessment: The component/mixture is moderately toxic after single contact with skin.
<b>100-41-4:</b>	
Acute inhalation toxicity	: LC50 (Mouse, Male): 10 mg/l Exposure time: 4 h Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	: LD50 (rabbit): 15,433 mg/kg
<b>142-82-5:</b>	
Acute oral toxicity	: LD50 (rat, male and female): 5,000 mg/kg Method: OECD Test Guideline 401 Symptoms: Salivation GLP: yes Remarks: Information given is based on data obtained from similar substances.
Acute inhalation toxicity	: LC50 (rat, male and female): 73.5 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (rabbit, male and female): > 2,000 mg/kg

---

---

Method: OECD Test Guideline 402  
GLP: yes  
Remarks: Information given is based on data obtained  
from similar substances.

### **Skin corrosion/irritation**

#### **Product:**

Remarks: Irritating to skin.

#### **Components:**

##### **67-64-1:**

Species: rabbit  
Exposure time: 24 h  
Method: In vivo  
Result: Mild skin irritation

##### **64742-49-0:**

Species: rabbit  
Result: Irritating to skin.

##### **64742-89-8:**

Species: rabbit  
Exposure time: 4 h  
Result: Irritating to skin.

##### **68410-97-9:**

Species: rabbit  
Result: Irritating to skin.

##### **108-65-6:**

Species: rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

##### **108-88-3:**

Species: rabbit  
Exposure time: 4 h  
Result: Irritating to skin.

##### **110-19-0:**

Species: rabbit  
Result: No skin irritation

##### **123-86-4:**

Species: rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

---

---

**1330-20-7:**

Species: rabbit  
Exposure time: 24 h  
Result: Irritating to skin.

**100-41-4:**

Species: rabbit  
Result: Mild skin irritation

**142-82-5:**

Species: rabbit  
Exposure time: 24 h  
Method: OECD Test Guideline 404  
Result: Irritating to skin.  
GLP: yes  
Remarks: Based on a similar product formulation.

**Serious eye damage/eye irritation**

**Product:**

Remarks: Irritating to eyes.

**Components:**

**67-64-1:**

Species: rabbit  
Result: Irritating to eyes.  
Exposure time: 24 h

**64742-49-0:**

Species: rabbit  
Result: Irritating to eyes.

**64742-89-8:**

Species: rabbit  
Result: Irritating to eyes.

**68410-97-9:**

Species: rabbit  
Result: Irritating to eyes.

**108-65-6:**

Species: rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405

**108-88-3:**

Species: rabbit  
Result: Irritating to eyes.  
Method: OECD Test Guideline 405

---



---

**110-19-0:**

Species: rabbit

Result: No eye irritation

**123-86-4:**

Species: rabbit

Result: No eye irritation

GLP: yes

**1330-20-7:**

Species: rabbit

Result: Irritating to eyes.

**100-41-4:**

Species: rabbit

Result: Mild eye irritation

**142-82-5:**

Species: rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

GLP: yes

Remarks: Information given is based on data obtained from similar substances.

**Respiratory or skin sensitisation**

**Components:**

**67-64-1:**

Test Type: Maximization test

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

**64742-49-0:**

Test Type: Buehler Test

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

**64742-89-8:**

Test Type: Buehler Test

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

**108-65-6:**

Test Type: Maximization test

Species: guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

GLP: no

**108-88-3:**

---

---

Test Type: Maximisation Test (GPMT)  
Species: guinea pig  
Result: Did not cause sensitisation on laboratory animals.  
GLP: yes

**110-19-0:**

Test Type: Maximization test  
Species: guinea pig  
Result: Did not cause sensitisation on laboratory animals.

**123-86-4:**

Species: guinea pig  
Result: Did not cause sensitisation on laboratory animals.

**1330-20-7:**

Remarks: No data available

**100-41-4:**

Remarks: No data available

**142-82-5:**

Test Type: Maximization test  
Species: guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
Remarks: Based on a similar product formulation.

**Germ cell mutagenicity**

**Components:**

**67-64-1:**

Genotoxicity in vitro

- : Test Type: Mammalian cell gene mutation assay  
Test species: Mouse lymphoma cells  
Metabolic activation: Without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative
- : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative
- : Test Type: Chromosome aberration test in vitro  
Test species: Chinese hamster ovary (CHO)  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

---

---

Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: mouse Application Route: Oral Exposure time: 13 wk Dose: 5,000, 10,000, 20,000 ppm Result: negative
Germ cell mutagenicity-Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
<b>64742-49-0:</b>	
Germ cell mutagenicity-Assessment	: Mutagenicity classification not possible from current data
<b>64742-89-8:</b>	
Germ cell mutagenicity-Assessment	: Mutagenicity classification not possible from current data
<b>68410-97-9:</b>	
Genotoxicity in vitro	: Test Type: Mammalian cell gene mutation assay Test species: mouse lymphoma cells Result: positive
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: mouse Method: OECD Test Guideline 474 Result: positive
Germ cell mutagenicity-Assessment	: Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals
<b>108-65-6:</b>	
Genotoxicity in vitro	: Test Type: DNA damage and/or repair Test species: rat hepatocytes Metabolic activation: Without metabolic activation Method: OECD Test Guideline 482 Result: negative GLP: yes
Germ cell mutagenicity-Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
<b>108-88-3:</b>	
Genotoxicity in vitro	: Test Type: Mammalian cell gene mutation assay Test species: Mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

---

---

Genotoxicity in vivo	: Test Type: Dominant lethal assay Test species: mouse (male) Application Route: inhalation (vapour) Exposure time: 6 h/d, 5 d/wk for 8 wks Dose: 0, 100, 400 ppm Method: OECD Test Guideline 478 Result: negative
Germ cell mutagenicity- Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
<b>110-19-0:</b>	
Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test species: Chinese hamster lung fibroblasts Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: mouse Application Route: Oral Result: negative
Germ cell mutagenicity- Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
<b>123-86-4:</b>	
Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test species: Chinese hamster lung fibroblasts Metabolic activation: Without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: No data available
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: mouse (male and female) Application Route: Oral Dose: 500, 1000, 2000 mg/kg bw Method: OECD Test Guideline 474 Result: negative GLP: yes Test substance: Information given is based on data obtained from similar substances.
Germ cell mutagenicity- Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
<b>1330-20-7:</b>	
Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO)

---

---

	<p>Metabolic activation: with and without metabolic activation  Method: Mutagenicity (in vitro mammalian cytogenetic test)  Result: negative</p>
	<p>: Test Type: Sister chromatid exchange assay in mammalian cells  Test species: Chinese hamster ovary (CHO)  Metabolic activation: with and without metabolic activation  Result: negative</p>
Genotoxicity in vivo	<p>: Test Type: Dominant lethal assay  Test species: mouse  Application Route: Subcutaneous  Exposure time: 8 wk  Dose: 1.0 mL/kg  Method: OECD Test Guideline 478  Result: negative  GLP: no</p>
Germ cell mutagenicity-Assessment	<p>: Animal testing did not show any mutagenic effects.</p>
<b>100-41-4:</b>	
Genotoxicity in vitro	<p>: Test Type: Chromosome aberration test in vitro  Test species: Chinese hamster ovary (CHO)  Metabolic activation: with and without metabolic activation  Method: OECD Test Guideline 473  Result: negative  GLP: no</p>
	<p>: Test Type: Mammalian cell gene mutation assay  Test species: mouse lymphoma cells  Metabolic activation: with and without metabolic activation  Method: OECD Test Guideline 476  Result: negative  GLP: yes</p>
Genotoxicity in vivo	<p>: Test Type: In vivo micronucleus test  Test species: mouse (male)  Application Route: Oral  Method: OECD Test Guideline 474  Result: negative  GLP: yes</p> <p>Test Type: DNA damage and/or repair</p>

---

---

Test species: mouse (male and female)  
Application Route: Inhalation  
Method: OECD Test Guideline 486  
Result: negative  
GLP: yes

Germ cell mutagenicity-  
Assessment : In vivo tests did not show mutagenic effects

**142-82-5:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test species: Rat liver  
Metabolic activation: Without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

: Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Germ cell mutagenicity-  
Assessment : Did not show mutagenic effects in animal experiments.

**Carcinogenicity**

**Components:**

**67-64-1:**

Species: mouse, (female)  
Application Route: Dermal  
Exposure time: 365 d (90%) or 424 d (100%)  
Dose: 0.1ml 90(71mg) or 100% (79mg)  
Frequency of Treatment: 3 times per wk  
NOAEL: 79

Result: did not display carcinogenic properties

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

**64742-49-0:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**64742-89-8:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**68410-97-9:**

---

---

Species: mouse  
NOAEL: 50 mg/kg bw/day

Method: OECD Test Guideline 451  
Result: evidence of carcinogenic activity

Carcinogenicity - Assessment : Possible human carcinogen

**108-65-6:**

Species: rat, (male and female)  
Application Route: inhalation (vapour)  
Exposure time: 2 yr  
Dose: 0, 300, 1000, 3000 ppm  
Frequency of Treatment: 6 hr/d, 5 d/wk  
NOAEL: No observed adverse effect level: 3,000 ppm

Method: OECD Test Guideline 453  
Result: did not display carcinogenic properties  
GLP: yes

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**108-88-3:**

Species: rat, (male and female)  
Application Route: inhalation (vapour)  
Exposure time: 103 wks  
Dose: 0, 600, 1200 ppm  
Frequency of Treatment: 6.5 h/d, 5 d/wk  
NOAEL: No observed adverse effect level: 1,200 ppm

Method: OECD Test Guideline 453  
Result: did not display carcinogenic properties  
Symptoms: Erosion of nasal epithelium  
GLP: yes

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**110-19-0:**

Remarks: This information is not available.

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**123-86-4:**

Remarks: This information is not available.

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

---

---

essment

**1330-20-7:**

Species: mouse, (male and female)  
Application Route: Oral  
Exposure time: 103 wk  
Dose: 0, 500 or 1000 mg/kg  
Frequency of Treatment: 5 days/week  
Method: Directive 67/548/EEC, Annex V, B.32.  
Result: did not display carcinogenic properties  
GLP: No data available

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**100-41-4:**

Species: mouse, (male and female)  
Application Route: Inhalation  
Exposure time: 103 wk  
Activity duration: 6 h  
Dose: 0, 75, 250, 750 ppm  
Frequency of Treatment: 5 days/week  
NOAEL: 250 ppm

Method: OECD Test Guideline 453  
Result: evidence of carcinogenic activity  
Symptoms: increased incidences of alveolar/bronchiolar neoplasms, increase incidence of hepatocellular carcinomas  
GLP: yes

Carcinogenicity - Assessment : Suspected human carcinogens

**142-82-5:**

Remarks: This information is not available.

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

**Reproductive toxicity**

**Components:**

**67-64-1:**

Effects on fertility : Species: rat, male  
Application Route: oral  
Dose: 0, 5000, 10000 mg/L  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: LOAEL: 10,000  
Fertility: 10,000

---



---

Effects on foetal development	: Species: rat Application Route: Inhalation Dose: 0, 440, 2200, 11000 ppm Frequency of Treatment: 7 days/week General Toxicity Maternal: NOAEC: 2,200 ppm Teratogenicity: NOAEC: 11,000 ppm Embryo-foetal toxicity.: NOAEC: 2,200 ppm Method: OECD Test Guideline 414 Result: No teratogenic potential. GLP: No data available
Reproductive toxicity - Assessment	: No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments.
<b>64742-49-0:</b> Reproductive toxicity - Assessment	: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.
<b>64742-89-8:</b> Reproductive toxicity - Assessment	: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.
<b>68410-97-9:</b> Reproductive toxicity - Assessment	: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.
<b>108-65-6:</b> Effects on fertility	: Species: rat Application Route: Oral Dose: 0, 100, 300, 1000 mg/kg General Toxicity - Parent: NOAEL: 1,000 mg/kg bw General Toxicity F1: NOAEL: 1,000 mg/kg bw Method: OECD Test Guideline 422 Result: Animal testing did not show any effects on fertility. GLP: yes Remarks: Information given is based on data obtained from similar substances.
Effects on foetal development	: Species: rat Application Route: Inhalation Dose: 0, 500, 2000, 4000 ppm Duration of Single Treatment: 9 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEL: 500 ppm Teratogenicity: NOAEL: > 4,000 ppm

---

---

	GLP: yes
Reproductive toxicity - Assessment	: No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments.
<b>108-88-3:</b> Effects on fertility	: Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500, 2000 ppm Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 500 ppm General Toxicity F1: NOAEC: 500 ppm Fertility: NOAEC: 2,000 ppm Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain. Method: OECD Test Guideline 416 Result: Animal testing did not show any effects on fertility. GLP: yes
	Test Type: Fertility Species: rat, male and female Application Route: inhalation (vapour) Dose: 0, 600, 1200 ppm Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 600 ppm Symptoms: Decreased sperm count Result: Animal testing did not show any effects on fertility.
Effects on foetal development	: Species: rat Application Route: inhalation (vapour) Dose: 0, 250, 750, 1500, 3000 ppm Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEC: 750 ppm Developmental Toxicity: NOAEC: 750 ppm Symptoms: Maternal toxicity, Reduced body weight, Skeletal malformations. GLP: yes
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
<b>110-19-0:</b> Effects on fertility	: Test Type: Two-generation study Species: rat Application Route: Inhalation

---

---

	<p>Duration of Single Treatment: 6 h          Frequency of Treatment: 7 days/week          General Toxicity - Parent: NOAEL: 2,500 ppm          Method: OECD Test Guideline 416</p>
Reproductive toxicity - Assessment	: No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments.
<b>123-86-4:</b> Effects on fertility	: Species: rat, male and female Application Route: Inhalation Dose: 0, 750, 1500, 2000 ppm Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 750 ppm General Toxicity F1: NOAEC: 750 ppm Fertility: NOAEC: 2,000 ppm Early Embryonic Development: NOAEC: 750 ppm Symptoms: Effect on reproduction capacity. Method: OECD Test Guideline 416 GLP: yes
Effects on foetal development	: Species: rat, male and female Application Route: vapour Dose: 500, 1500, 3000 ppm Duration of Single Treatment: 6 h Frequency of Treatment: 5 days/week GLP: yes
Reproductive toxicity - Assessment	: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.
<b>1330-20-7:</b> Effects on fertility	: Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 25, 100 and 500 ppm Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: > 500 ppm General Toxicity F1: NOAEC: > 500 ppm Early Embryonic Development: NOAEC: > 500 ppm Result: No reproductive effects.
Effects on foetal development	: Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000 or 2000 ppm Duration of Single Treatment: 14 d

---

---

	<p>Frequency of Treatment: 6 hr/day          General Toxicity Maternal: NOAEC: 500 ppm          Teratogenicity: NOAEC: &gt; 2,000          Developmental Toxicity: NOAEC: 100 ppm          Result: No teratogenic effects., Developmental toxicity occurred at maternal toxicity dose levels</p>
Reproductive toxicity - Assessment	: Animal testing did not show any effects on fertility. Damage to fetus not classifiable
<b>100-41-4:</b> Effects on fertility	: Test Type: One generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500 and 1000 ppm Duration of Single Treatment: 6 h General Toxicity - Parent: NOAEC: 1,000 ppm General Toxicity F1: NOAEC: 100 ppm Symptoms: Reduced foetal weight. Reduced offspring weight gain. Method: OECD Test Guideline 415 Result: No reproductive effects. GLP: yes
Effects on foetal development	: Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000, 2000 ppm Duration of Single Treatment: 15 d General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: 2,000 ppm Developmental Toxicity: NOAEC: 500 ppm Symptoms: Reduced body weight Method: OECD Test Guideline 414 Result: Developmental toxicity occurred at maternal toxicity dose levels GLP: No data available
Reproductive toxicity - Assessment	: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.
<b>142-82-5:</b> Effects on fertility	: Test Type: Two-generation study Species: rat, male and female Application Route: vapour Dose: 0, 900, 3000, 9000 ppm Frequency of Treatment: 5 days/week General Toxicity - Parent: NOAEC: 3,000 ppm General Toxicity F1: NOAEC: 3,000 ppm Fertility: NOAEC: 9,000 ppm Symptoms: Reduced maternal body weight gain. Re-

---

duced offspring weight gain.  
 Method: OECD Test Guideline 416  
 Result: No reproductive effects.  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

Effects on foetal development : Species: mouse  
 Application Route: inhalation (vapour)  
 Dose: 0, 900, 3000, 9000 ppm  
 Duration of Single Treatment: 10 d  
 Frequency of Treatment: 6 hr/day  
 General Toxicity Maternal: NOAEC: 900 ppm  
 Developmental Toxicity: NOAEC: 3,000 ppm  
 Symptoms: Skeletal malformations.  
 Method: OECD Test Guideline 414  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
 Embryotoxicity classification not possible from current data.

**STOT - single exposure**

**Product:**No data available

**Components:**

67-64-1:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

64742-49-0:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, cate-	

		gory 3 with narcotic effects.	
--	--	-------------------------------	--

64742-89-8:No data available

68410-97-9:

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

108-65-6:No data available

108-88-3:

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

110-19-0:

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
Inhalation	Central nervous system	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects., May cause drowsiness or dizziness.	

123-86-4:

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>

Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	
------------	------------------------	--	--

1330-20-7:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Respiratory system	May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.	

100-41-4:No data available

142-82-5:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

**STOT - repeated exposure**

**Product:**No data available

**Components:**

**67-64-1:**No data available

**64742-49-0:**No data available

---

**64742-89-8:**No data available

**68410-97-9:**No data available

**108-65-6:**No data available

**108-88-3:**

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
Inhalation	Auditory system, Eyes	May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.	

**110-19-0:**No data available

**123-86-4:**No data available

**1330-20-7:**

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
	Liver, Kidney, Central nervous system	May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.	

**100-41-4:**

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
-------------------------	-----------------------	--------------------	-----------------

---



	Auditory system	May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.	
--	-----------------	--	--

**142-82-5:**No data available

**Repeated dose toxicity**

**Components:**

**67-64-1:**

Species: mouse, male  
 NOAEL: 20000  
 Application Route: Oral  
 Exposure time: 13 wk  
 Number of exposures: daily  
 Dose: 1250, 2500, 5000, 10000, 20000  
 Method: OECD Test Guideline 408  
 GLP: No data available

Species: mouse, female  
 NOAEL: 20000  
 LOAEL: 50000  
 Application Route: Oral  
 Exposure time: 13 wk  
 Number of exposures: daily  
 Dose: 2500, 5000, 10000, 20000, 5000  
 Method: OECD Test Guideline 408  
 GLP: No data available

Repeated dose toxicity - : Causes mild skin irritation., Causes serious eye irritation.  
 Assessment tion.

**64742-89-8:**

Species: rat, male and female  
 NOAEL: 1402  
 Application Route: inhalation (vapour)  
 Test atmosphere: vapour  
 Exposure time: 13 weeks  
 Number of exposures: 6 hours/day, 5 days/week  
 Dose: 322, 1402, 9869 mg/m<sup>3</sup>  
 GLP: yes

---

Target Organs: Kidney  
Symptoms: Nasal and ocular discharge

**108-65-6:**

Species: rat, male and female  
NOAEL: > 1,000 mg/kg  
Application Route: Oral  
Dose: 0, 100, 300, 1000 mg/kg  
Method: OECD Test Guideline 422

**108-88-3:**

Species: rat, male and female  
NOAEL: 300  
Application Route: inhalation (vapour)  
Exposure time: 6, 12, or 18 mths  
Number of exposures: 6 h/d, 5 d/wk  
Dose: 0, 30, 100, 300 ppm  
Method: OECD Test Guideline 453

Repeated dose toxicity - : Causes skin irritation.  
Assessment

**110-19-0:**

Species: rat  
NOAEL: 316 mg/kg  
Application Route: Oral  
Exposure time: 92 d

**123-86-4:**

Species: rat, male and female  
NOAEL: 500  
Application Route: inhalation (vapour)  
Exposure time: 13 wk  
Number of exposures: 6 h/d, 5d/wk  
Dose: 500, 1500, 3000 ppm  
GLP: yes  
Symptoms: oral or nasal discharge

**1330-20-7:**

Species: rat, male and female  
NOAEL: 250 mg/kg  
Application Route: Oral  
Exposure time: 103 wk  
Number of exposures: 5 d/wk  
Dose: 0, 250 or 500 mg/kg  
Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**100-41-4:**

Species: rat, male and female

---

---

NOAEL: 75 mg/kg  
Application Route: Oral  
Exposure time: 28 d  
Dose: 75, 250 and 750 mg/kg bw/day  
Method: OECD Test Guideline 407  
GLP: yes  
Symptoms: Increased kidney and liver weights

**142-82-5:**

Species: rat, male  
NOAEL: 12470 mg/m<sup>3</sup>  
Application Route: inhalation (vapour)  
Exposure time: 16 wks  
Number of exposures: 12 h/d, 7 d/wk  
Dose: 0, 12470 mg/3

Repeated dose toxicity - : Causes skin irritation.  
Assessment

**Aspiration toxicity**

**Components:**

**64742-49-0:**

May be fatal if swallowed and enters airways.

**64742-89-8:**

May be fatal if swallowed and enters airways.

**68410-97-9:**

May be fatal if swallowed and enters airways.

**108-88-3:**

Aspiration Toxicity - Category 1

**1330-20-7:**

May be fatal if swallowed and enters airways.

**100-41-4:**

May be fatal if swallowed and enters airways.

**142-82-5:**

Aspiration Toxicity - Category 1

**Further information**

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### **Components:**

##### **67-64-1:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 6,100 mg/l  
Exposure time: 48 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,630 mg/l  
Exposure time: 48 h  
Test substance: Acetone
- Toxicity to algae : Remarks: No data available

##### **64742-49-0:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.71 mg/l  
Exposure time: 96 h

#### Ecotoxicology Assessment

- Acute aquatic toxicity : Toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

##### **64742-89-8:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.2 mg/l  
Exposure time: 96 h  
Test Type: semi-static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Analytical monitoring: yes
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)):

---

	3.7 mg/l Exposure time: 96 h Test Type: static test
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
<b>68410-97-9:</b>	
Toxicity to fish	: LC50 ( <i>Pimephales promelas</i> (fathead minnow)): 8.2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 4.5 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 3.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
<b>108-65-6:</b>	
Toxicity to fish	: LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 500 mg/l Exposure time: 48 h Test Type: Immobilization
Toxicity to algae	: EC50 ( <i>Selenastrum capricornutum</i> (green algae)): > 1,000 mg/l End point: Growth rate Exposure time: 96 h Test Type: static test
<b>108-88-3:</b>	
Toxicity to fish	: LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 5.5 mg/l Exposure time: 96 h Test Type: flow-through test

---

---

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia): 3.78 mg/l Exposure time: 48 h Test Type: Renewal
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 134 mg/l Exposure time: 3 h Test Type: static test
Toxicity to bacteria	: IC50 (Bacteria): 84 mg/l Exposure time: 24 h Test Type: Static
Ecotoxicology Assessment	
Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
<b>110-19-0:</b>	
Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 17 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: (Daphnia magna (Water flea)): 25 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata): 370 mg/l Exposure time: 72 h Test Type: static test
Ecotoxicology Assessment	
Acute aquatic toxicity	: This product has no known ecotoxicological effects.
Chronic aquatic toxicity	: This product has no known ecotoxicological effects.
<b>123-86-4:</b>	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 18 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: no
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 44 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 674.7 mg/l

---

---

	End point: Growth rate Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 23 mg/l Exposure time: 21 d
Toxicity to bacteria	: EC 50 (Tetrahymena pyriformis (Ciliate)): 356 mg/l Exposure time: 40 h Test Type: Static
Ecotoxicology Assessment Acute aquatic toxicity	: Harmful to aquatic life.
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
<b>1330-20-7:</b>	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata): 4.36 mg/l End point: Growth rate Exposure time: 73 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
<b>100-41-4:</b>	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l Exposure time: 96 h Test Type: semi-static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.8 mg/l Exposure time: 48 h Test Type: static test

---

---

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata): 5.4 mg/l  
Exposure time: 72 h  
Test Type: static test

Toxicity to bacteria : Remarks: No data available

Ecotoxicology Assessment  
Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**142-82-5:**

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 4 mg/l  
Exposure time: 24 h  
Remarks: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h  
Test Type: static test  
Remarks: Very toxic to aquatic organisms.

Toxicity to algae : Remarks: No data available

Ecotoxicology Assessment  
Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

**Components:**

**67-64-1:**

Biodegradability : Remarks: Readily biodegradable

**64742-49-0:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 20 mg/l  
Biodegradation: 74.30 %  
Exposure time: 56 d  
GLP: yes  
Remarks: Inherently biodegradable.

**64742-89-8:**

Biodegradability : Concentration: 49.2 mg/l  
Result: Readily biodegradable.  
Biodegradation: 77 %  
Testing period: 2 d

---



---

Exposure time: 28 d  
GLP: yes

**108-65-6:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 76.4 mg/l  
Result: Readily biodegradable.  
Biodegradation: 90 %  
Exposure time: 28 d  
GLP: yes

Biochemical Oxygen Demand (BOD) : 0.36 mg/l

Chemical Oxygen Demand (COD) : 1.74 mg/l

**108-88-3:**

Biodegradability : Inoculum: Sewage  
Biodegradation: 100 %  
Remarks: Readily biodegradable

**110-19-0:**

Biodegradability : aerobic  
Inoculum: Sewage  
Result: Readily biodegradable.  
Biodegradation: 81 %  
Exposure time: 20 d

**123-86-4:**

Biodegradability : Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

Chemical Oxygen Demand (COD) : 0.00169 mg/g

BOD/COD : BOD/COD: 72 %

Theoretical Oxygen Demand (ThOD) : 0.0022 mg/g

**1330-20-7:**

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 72 %  
Exposure time: 20 d

---

---

**100-41-4:**

Biodegradability : Inoculum: activated sludge  
Concentration: 22 mg/l  
Result: Readily biodegradable.  
Biodegradation: 70 %  
Exposure time: 28 d  
GLP: yes

**142-82-5:**

Biodegradability : Primary biodegradation  
Inoculum: activated sludge  
Concentration: 100 mg/l  
Biodegradation: 100 %  
Testing period: 2 d  
Exposure time: 25 d  
Remarks: Readily biodegradable

**Bioaccumulative potential****Components:****67-64-1:**

Partition coefficient: n- : log Pow: -0.24  
octanol/water

**64742-49-0:**

Partition coefficient: n- : Remarks: No data available  
octanol/water

**64742-89-8:**

Partition coefficient: n- : log Pow: 2.13 - 4.85 (25 °C)  
octanol/water

**108-65-6:**

Partition coefficient: n- : log Pow: 0.43  
octanol/water

**108-88-3:**

Partition coefficient: n- : log Pow: 2.73  
octanol/water

**110-19-0:**

Partition coefficient: n- : log Pow: 1.78  
octanol/water

**123-86-4:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 15

Partition coefficient: n- : log Pow: 1.82

---

---

octanol/water

**1330-20-7:**

Partition coefficient: n-octanol/water : log Pow: 2.77 - 3.15

**100-41-4:**

Partition coefficient: n-octanol/water : log Pow: 2.92

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

**Components:**

**100-41-4:**

Results of PBT and vPvB assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues

: Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging

: Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

---

Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

**IATA (International Air Transport Association):** UN1263, PAINT RELATED MATERIAL, 3, II, Flash Point:-18 °C(-0.40 °F)

**IMDG (International Maritime Dangerous Goods):** UN1263, PAINT RELATED MATERIAL, 3, II

**DOT (Department of Transportation):** UN1263, PAINT RELATED MATERIAL, 3, II

---

## SECTION 15. REGULATORY INFORMATION

**OSHA Hazards** : Flammable liquid, Carcinogen, Harmful by skin absorption., Moderate skin irritant, Moderate eye irritant, Moderate respiratory irritant, Teratogen, Reproductive hazard, Mutagen

**WHMIS Classification** : : Flammable Liquid  
D2A: Very Toxic Material Causing Other Toxic Effects  
D2B: Toxic Material Causing Other Toxic Effects

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Mixed xylenes	1330-20-7	100	1901

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Chronic Health Hazard  
Acute Health Hazard

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

108-88-3	Toluene	10.54 %
100-41-4	Ethylbenzene	1.5983 %
71-43-2	Benzene	0.0281 %
110-54-3	Hexane	0.0031 %

---

67-56-1	Methanol	0.0022 %
91-20-3	Naphthalene	0.0003 %
98-82-8	Cumene	0.000 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

67-64-1	Acetone	37.3599 %
108-88-3	Toluene	10.54 %
110-19-0	Isobutyl acetate	10.5389 %
123-86-4	n-Butyl acetate	5.3421 %
1330-20-7	Mixed xylenes	5.2608 %
100-41-4	Ethylbenzene	1.5983 %
110-82-7	Cyclohexane	0.3931 %
71-43-2	Benzene	0.0281 %
67-56-1	Methanol	0.0022 %
98-82-8	Cumene	0.000 %

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

108-88-3	Toluene	10.54 %
110-19-0	Isobutyl acetate	10.5389 %
123-86-4	n-Butyl acetate	5.3421 %
1330-20-7	Mixed xylenes	5.2608 %
100-41-4	Ethylbenzene	1.5983 %
110-82-7	Cyclohexane	0.3931 %
71-43-2	Benzene	0.0281 %
91-20-3	Naphthalene	0.0003 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

108-88-3	Toluene	10.54 %
123-86-4	n-Butyl acetate	5.3421 %
1330-20-7	Mixed xylenes	5.2608 %
100-41-4	Ethylbenzene	1.5983 %
110-82-7	Cyclohexane	0.3931 %
71-43-2	Benzene	0.0281 %
91-20-3	Naphthalene	0.0003 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

108-88-3	Toluene	10.54 %
100-41-4	Ethylbenzene	1.5983 %

#### US State Regulations

##### Massachusetts Right To Know

67-64-1	Acetone	30 - 50 %
108-88-3	Toluene	10 - 20 %
110-19-0	Isobutyl acetate	10 - 20 %
123-86-4	n-Butyl acetate	5 - 10 %

1330-20-7	Mixed xylenes	5 - 10 %
100-41-4	Ethylbenzene	1 - 5 %
71-43-2	Benzene	0 - 0.1 %

**Pennsylvania Right To Know**

67-64-1	Acetone	30 - 50 %
64742-49-0	Naphtha (pet), hydrotreated It	0 - 20 %
64742-89-8	Solvent naphtha (pet), It aliph.	0 - 20 %
68410-97-9	Distillates, pet, It dist hydrotreat process, low-boil	0 - 20 %
108-65-6	Glycol ether PM acetate	10 - 20 %
108-88-3	Toluene	10 - 20 %
110-19-0	Isobutyl acetate	10 - 20 %
123-86-4	n-Butyl acetate	5 - 10 %
1330-20-7	Mixed xylenes	5 - 10 %
100-41-4	Ethylbenzene	1 - 5 %
110-82-7	Cyclohexane	0.1 - 1 %
71-43-2	Benzene	0 - 0.1 %

**New Jersey Right To Know**

67-64-1	Acetone	30 - 50 %
64742-49-0	Naphtha (pet), hydrotreated It	0 - 20 %
64742-89-8	Solvent naphtha (pet), It aliph.	0 - 20 %
68410-97-9	Distillates, pet, It dist hydrotreat process, low-boil	0 - 20 %
108-65-6	Glycol ether PM acetate	10 - 20 %
108-88-3	Toluene	10 - 20 %
110-19-0	Isobutyl acetate	10 - 20 %
123-86-4	n-Butyl acetate	5 - 10 %
1330-20-7	Mixed xylenes	5 - 10 %
100-41-4	Ethylbenzene	1 - 5 %

**California Prop 65**

	WARNING! This product contains a chemical known to the State of California to cause cancer.
100-41-4	Ethylbenzene
71-43-2	Benzene
91-20-3	Naphthalene
98-82-8	Cumene
	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
108-88-3	Toluene
71-43-2	Benzene
67-56-1	Methanol

**The components of this product are reported in the following inventories:**


<b>Switzerland. New notified substances and declared</b>	:	y (positive listing)
--	---	----------------------

<b>preparations</b>		(The formulation contains substances listed on the Swiss Inventory)
<b>United States TSCA Inventory</b>	:	y (positive listing) (On TSCA Inventory)
<b>Canadian Domestic Substances List (DSL)</b>	:	y (positive listing) (All components of this product are on the Canadian DSL.)
<b>Australia Inventory of Chemical Substances (AICS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>New Zealand. Inventory of Chemical Substances</b>	:	n (Negative listing) (Not in compliance with the inventory)
<b>Japan. ENCS - Existing and New Chemical Substances Inventory</b>	:	n (Negative listing) (Not in compliance with the inventory)
<b>Japan. ISHL - Inventory of Chemical Substances (METI)</b>	:	n (Negative listing) (Not in compliance with the inventory)
<b>Korea. Korean Existing Chemicals Inventory (KECI)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>China. Inventory of Existing Chemical Substances in China (IECSC)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)

## SECTION 16. OTHER INFORMATION

VERSION 2.0  
 REVISION DATE 10/20/2016

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

**Legacy MSDS:** R0329927

**Material number:**  
 16069388, 547005, 146398

<b>Key or legend to abbreviations and acronyms used in the safety data sheet</b>			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-



	Scenario Tool		istration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%