Multi-Liquid Kit Cover Page

ASIN: B07PGQQLJ1

PRODUCT NAME: U.S. Art Supply - 1 Quart Floetrol Additive Pouring Supply Paint Medium Deluxe Kit for Mixing, Stain, Epoxy, Resin - Silicone Oil, Plastic Cups, Mini Painting Stands, Sticks, Spreaders

BRAND NAME: US Art Supply

This is a kit that is composed of 3 liquids. The SDS sheets for these liquids are in remaining pages of this file.

KIT COMPONENTS:

- 1) U.S. Art Supply Acrylic Pouring Paint Medium 16 Ounce (pages 2-5)
- 2) U.S. Art Supply Silicone Oil Pouring Paint Medium 6-Ounce Bottle (pages 6-10)
- 3) FLD6C FLOOD FLOETROL LATEX PAINT ADDITIVE (pages 11-20)

Revision: 01/06/2018

1: Identification of the substance/Preparation and company

1.1 PRODUCT IDENTIFICATION

PRODUCT NAME: U.S. Art Supply Acrylic Pouring Paint Medium 16 Ounce

USE OF PRODUCT: Paint by artist, amateur and students

COLOR: Transparent (when dry)

UPC/ASIN: 848849000856 / B07HMKHPVW

1.2 COMPANY DETAILS:

NAME: TCP Global Corporation

ADDRESS: 6695 Rasha St **TEL:** 858-909-2100

EMAIL ADDRESS: support@tcpglobal.com

1.3 EMERGENCY TELEPHONE

TEL: CHEMTREC 1-800-424-9300 TCP Global Corporation 858-909-2100

2. Hazard identification

2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

2.3..Other hazard: None

3. Composition/information on ingredients

COMPOSITION	PERCENTAGE	CAS NO	EC NO.
Water	38.3288%	7732-18-5	231-791-2
1,2-Propanediol	4.8700%	57-55-6	200-338-0
Texnol /Isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	4.0700%	25265-77-4	246-771-9
mix of 5-Chloro-2-methyl-4-isothiazolin-3-one(CAS#:2 6172-55-4) + 2-Methyl-4-isothiazolin-3-one(CAS#2682-20-4) (3:1)	0.0012%	55965-84-9	247-500-7
2-amino-2-methylpropanol	0.1000%	124-68-5	204-709-8
Acrylic acid polymer	50.6500%	9003-01-4	No
2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate	1.9800%	25212-88-8	607-648-6

4. First aid measures

After skin Contact: If skin or hair contact occurs, Flush skin and hair with running water(and

soap if available). Seek medical attention in event of irritation.

After eye Contact: If this Product comes in contact with eyes: Wash out immediately with water.

If irritation continues, seek medical attention. Removal of contact lenses after an

Revision:01/06/2018

eye injury should only be undertaken by skilled personnel.

After ingestion: Immediately give a glass of water. First aid is not generally required. If in doubt,

contact a Poisons Information Centre or a doctor.

After inhalation: If fumes, aerosols or combustion products are inhaled, remove from contaminated

area. Other measures are usually unnecessary.

5. Fire fighting Measures

Suitable These is no restriction on the type of extinguisher which may be used.

Extinguishing Media Use extinguishing media suitable for surrounding area.

Combustion products Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products

and resulting gases typical of burning organic material.

Special Protective Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine ect.as ignition may result.

6. Accidental release Measures

Clean up waste regularly and abnormal spills. Avoid breathing dust

Personal Protection and contact with skin and eyes .Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and

avoid generating dust.

Environmental ProtectionNot applicable

Methods for cleaning up

Not applicable

7. Handling and storage

Handling Precautions

Store in cool, dry place in tightly closed receptacles. Keep ignition

source away – Do not smoke.

Storage Precautions Store in a cool location. Store away from flammable substances.

8. Exposure controls/personal protection

Respiration Not required.

The glove material has to be impermeable and resistant to the products/the substance/the preparation. Due to missing test no

recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the

Revision:01/06/2018

1.03-1.05g/cm3

No (when dry)

Not available

glove material on consideration of the penetration times, rate of diffusion and the degradation

Eye Protection Not required

Generally the product does not irritate the skin. If skin or hair

contact occurs, Flush skin and hair with running water(and soap

Skin Protection if available)

9. Physical and chemical properties

Product is not self Liquid **Auto flammability Appearance**

igniting.

Product dose not Transparent Color **Explosive**

present an properties (when dry) explosion hazard

Not available Odor Oxidizing properties No

Not available PH 8-9 Vapor pressure

Boiling point/boiling Not available

range

Melting

point/melting range

Not available Flash point

Not available Solubility in water

Relative density

Partition coefficient

Flammability No Others No

10. Stability and reactivity

No decomposition if used according to specifications. **Conditions to Avoid**

Material to Avoid No

Hazardous reactions No dangerous reactions known

11. Toxicological information

Inhalation No date available

Ingestion No date available

Skin contact Irritating effect possible Eye contact Irritating effect possible

Carcinogenicity No date available

Revision:01/06/2018

Other No

12. Ecological information

Biodegradability

Bioaccumulative

Aquatic toxicity

No date available

No date available

Others No

13. Disposal considerations

Methods of disposal

Do not allow wash water from cleaning or process equipment to

enter drains.

Dangers in disposal No

14. Transport information

UN number No

Hazard class No

Packing group No

Air transport Unregulated
Sea transport Unregulated
Inland transport Unregulated

15. Regulatory information

15.1: Chemical safety assessment

NO

15.2: Chemical safety assessment

NO

16. Other information

The information in this MSDS was obtained from sources which we believe are reliable . However , the information is provided without any warranty ,express or implied , regarding its correctness . The conditions or methods of handling ,storage , use or disposal of the product are beyond our control and may be beyond our knowledge . For this and other reasons , we do not assume responsibility and expressly disclaim liability for loss , damage or express arising out of or in any way connected with the handling , storage , use or disposal of the product . This MSDS was prepared and is to be used only for this product . If the product is used as a component in another product , this MSDS information may not be applicable.

Revision:13/09//2018

1: Identification of the substance/Preparation and company

1.1 PRODUCT IDENTIFICATION

PRODUCT NAME: U.S. Art Supply Silicone Oil Pouring Paint Medium 6-Ounce Bottle

COLOR: Colorless

UPC/ASIN: 848849000870 / B07HM7KVSV

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Oil Based, Paint by artist, amateur and students

1.3 COMPANY DETAILS:

NAME: TCP Global Corporation

ADDRESS: 6695 Rasha St **TEL:** 858-909-2100

EMAIL ADDRESS: support@tcpglobal.com

1.4 EMERGENCY TELEPHONE

TEL: CHEMTREC 1-800-424-9300 TCP Global Corporation 858-909-2100

2. Hazard identification

2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

2.3..Other hazard: None

3. Composition/information on ingredients

3.1 <u>Substances</u> *Information not relevant.*

3.2 Mixtures

Ingredient Name	CAS Number	Proportion
Dimethyl siloxane	63148-62-9	100%

4. First aid measures

4.1 Description of first aid measures

After skin Contact: If skin or hair contact occurs, Flush skin and hair with running water(and

soap if available). Seek medical attention in event of irritation.

After eye Contact: If this Product comes in contact with eyes: Wash out immediately with water.

If irritation continues, seek medical attention. Removal of contact lenses after an

eye injury should only be undertaken by skilled personnel.

After ingestion: Immediately give a glass of water. First aid is not generally required. If in doubt,

contact a Poisons Information Centre or a doctor.

After inhalation: If fumes, aerosols or combustion products are inhaled, remove from contaminated

area. Other measures are usually unnecessary.

4.2 Most important symptoms and effects, both acute and delayed.

No date available_

Revision: 13/09//2018

4.3. Indication of any immediate medical attention and special treatment needed: Information not available.

5. Fire fighting Measures

5.1Suitable These is no restriction on the type of extinguisher which may be used.

Extinguishing Media Use extinguishing media suitable for surrounding area.

5.2Combustion products Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products

and resulting gases typical of burning organic material.

5.3Special Protective Avoid contamination with oxidizing agents i.e. nitrates, oxidizing Equipment acids, chlorine bleaches, pool chlorine ect.as ignition may result.

6. Accidental release Measures

Clean up waste regularly and abnormal spills. Avoid breathing dust

and contact with skin and eyes . Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and

Any information on personal protection and disposal is given in

avoid generating dust.

6.2Environmental

Protection

6.1Personal Protection

Not applicable

6.3Methods for

cleaning up

Not applicable

6.4 Reference to other

sections

sections 8 and 13.

7. Handling and storage

Store in cool, dry place in tightly closed receptacles. Keep ignition 7.1Handling Precautions

source away - Do not smoke.

7.2Storage Precautions

Store in a cool location. Store away from flammable substances.

7.3 Specific end use(s) Information not available.

8. Exposure controls/personal protection

8.1Respiration Not required. Protection

The glove material has to be impermeable and resistant to the products/the substance/the preparation. Due to missing test no 8.2Hand Protection recommendation to the glove material can be given for the

product/the preparation/the chemical mixture. Selection of the

Revision:13/09//2018

glove material on consideration of the penetration times, rate of diffusion and the degradation

8.3Eye Protection Not required

Generally the product does not irritate the skin. If skin or hair

8.4Skin Protection contact occurs, Flush skin and hair with running water(and soap

if available)

9. Physical and chemical properties

Appearance	Liquid	Auto flammability	Product is not self igniting.
Color	Colorless	Explosive properties	Product dose not present an explosion hazard
Odor	Characteristic odor	Oxidizing properties	Not available
РН	Not determined	Vapor pressure	Not available
Boiling point/boiling range	> 35 °C	Relative density	0.97 g /cm ³
Melting point/melting range	Not determined	Solubility in water	No
Flash point	> 120 °C(Closed Cup)	Partition coefficient	Not available
Flammability	No	Others	No

10. Stability and reactivity

10.1. Reactivity.

There are no particular risks of reaction with other substances in

normal conditions of use.

10.2. Chemical stability. The product is stable in normal conditions of use and storage

10.3. Possibility of No hazardous reactions are foreseeable in normal conditions of

hazardous reactions. use and storage.

None in particular. However the usual precautions used for

chemical products should be respected.

10.5. Incompatible

materials Information not available.

10.6. Hazardous

decomposition products No

Revision: 13/09//2018

11. Toxicological information

No significant effects expected from a single short-term 11.1Inhalation

exposure.

11.2Ingestion Low ingestion hazard in normal use.

No significant irritation expected from a single short-term Skin contact

exposure.

11.3Eye contact Direct contact may cause temporary redness and discomfort

11.4Carcinogenicity No date available

11.50ther No

12. Ecological information

12.1. Toxicity. Information not available

12.2. Persistence and

degradability

Information not available

12.3. Bioaccumulative

potential.

Information not available

Siloxanes are removed from water by sedimentation or binding 12.4. Mobility in soil

to sewage sludge.

12.5. Results of PBT and On the basis of available data, the product does not contain any

vPvB assessment PBT or vPvB

12.6. Other adverse

effects

Information not available

13. Disposal considerations

Do not allow wash water from cleaning or process equipment to 13.1Methods of disposal

enter drains.

13.2Dangers in disposal No

14. Transport information

14.1UN number No

14.2UN proper shipping

name

No

14.3Transport hazard

No class(es)

Unregulated 14.4Packing group

14.5Environmental

hazards

No

14.6Special precautions

for user

No

14.7Transport in bulk

according to Annex II of

Unregulated

MARPOL73/78 and the

Revision:13/09//2018

IBC Code

15. Regulatory information

15.1: Chemical safety assessment

NO

15.2: Chemical safety assessment

NO

16. Other information

The information in this MSDS was obtained from sources which we believe are reliable . However , the information is provided without any warranty ,express or implied , regarding its correctness . The conditions or methods of handling ,storage , use or disposal of the product are beyond our control and may be beyond our knowledge . For this and other reasons , we do not assume responsibility and expressly disclaim liability for loss , damage or express arising out of or in any way connected with the handling , storage , use or disposal of the product . This MSDS was prepared and is to be used only for this product . If the product is used as a component in another product , this MSDS information may not be applicable.

SAFETY DATA SHEET



Date of issue/Date of revision 14 February 2019

Version 2.07

Section 1. Identification

: FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE **Product name**

Product code : 00405358 Other means of : Not available.

identification **Product type**

: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications.

Use of the substance/

mixture

: Coating.

Uses advised against : Not applicable.

Manufacturer : PPG Industries, Inc.

> One PPG Place Pittsburgh, PA 15272

: (412) 434-4515 (U.S.)

Emergency telephone (514) 645-1320 (Canada) number

01-800-00-21-400 or + 52 55 5559 1588 (Mexico)

Technical Phone Number : 1-800-441-9695 (8:00 am to 5:00 pm EST)

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

> Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the substance or mixture : Not classified.

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 10%

(Inhalation)

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable.

United States Page: 1/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 2. Hazards identification

Supplemental label

elements

: Emits toxic fumes when heated.

Hazards not otherwise

classified

: None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Product name : FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids

apart for at least 10 minutes and seek immediate medical advice.

Inhalation : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is

irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained

personnel.

Skin contact : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water

or use recognized skin cleanser. Do NOT use solvents or thinners.

Ingestion : If swallowed, seek medical advice immediately and show this container or label. Keep

person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

United States Page: 2/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

United States Page: 3/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 7. Handling and storage

Precautions for safe handling

Protective measures Special precautions

- : Put on appropriate personal protective equipment (see Section 8).
- : If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

Environmental exposure controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Skin protection Hand protection

: Safety glasses with side shields.

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

> **United States** Page: 4/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 8. Exposure controls/personal protection

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.

Color : White to yellowish.

Odor : Characteristic.

Odor threshold : Not available.

pH : Not available.

Melting point : Not available.

Boiling point : 100°C (212°F)

Flash point : Closed cup: Not applicable. [Product does not sustain combustion.]

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive : Not available.

(flammable) limits

Evaporation rate : 0.05 (butyl acetate = 1)

Vapor pressure : 3.3 kPa (25 mm Hg) [room temperature]

Vapor density : Not available.

Relative density : 1.02

Density (lbs / gal) : 8.51

Solubility : Partially soluble in the following materials: cold water.

Partition coefficient: n-

octanol/water

: Not available.

Viscosity : Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)

Volatility : 90% (v/v), 88.22% (w/w)

% Solid. (w/w) : **1**1.78

United States Page: 5/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: When exposed to high temperatures may produce hazardous decomposition products.

Refer to protective measures listed in sections 7 and 8.

Incompatible materials

: Keep away from the following materials to prevent strong exothermic reactions:

oxidizing agents, strong alkalis, strong acids.

Hazardous decomposition products

: Decomposition products may include the following materials: carbon monoxide, carbon

dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

Irritation/Corrosion

Conclusion/Summary

Skin : There are no data available on the mixture itself. : There are no data available on the mixture itself. **Eyes** : There are no data available on the mixture itself. Respiratory

Sensitization

Conclusion/Summary

Skin : There are no data available on the mixture itself. : There are no data available on the mixture itself. Respiratory

Mutagenicity

: There are no data available on the mixture itself. Conclusion/Summary

Carcinogenicity

: There are no data available on the mixture itself. Conclusion/Summary

Reproductive toxicity

Conclusion/Summary : There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

United States Page: 6/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 11. Toxicological information

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary: There are no data available on the mixture itself. If splashed in the eyes, the liquid may

cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral,

inhalation and dermal routes of exposure and eye contact.

Short term exposure

Potential immediate : There are no data available on the mixture itself.

effects

Potential delayed effects: There are no data available on the mixture itself.

Long term exposure

Potential immediate : There are no data available on the mixture itself.

effects

Potential delayed effects: There are no data available on the mixture itself.

Potential chronic health effects

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

United States Page: 7/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 12. Ecological information

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

DOT : None identified. **IMDG** : None identified. IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

United States Page: 8/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

14. Transport information

Section 15. Regulatory information

United States

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

No products were found.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health: 1 Flammability: 0 Physical hazards: 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Health: 1 Flammability: 0 Instability: 0

Date of previous issue : 3/30/2018
Organization that prepared : EHS

the MSDS

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

United States Page: 9/10

Date of issue 14 February 2019 Version 2.07

Product name FLD6C - FLOOD FLOETROL LATEX PAINT ADDITIVE

Section 16. Other information

▼ Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

United States Page: 10/10