

Revision: 05/05/2017

1: Identification of the substance/Preparation and company

1.1 PRODUCT IDENTIFICATION

PRODUCT NAME: U.S. Art Supply 12ml Acrylic Paint 24 Colors **USE OF PRODUCT:** Paint by artist, amateur and students

COLOR: Titanium White, Flesh, Lemon Yellow, Yellow Ochre, Cadmium Yellow, Yellow Mid, Orange Yellow, Vermilion, Scarlet, Crimson, Light Green, Emerald Green, Sap Green, Viridian, Cerulean Blue, Cobalt Blue, Phthalocyanine Blue, Ultramarine Blue, Purple, Raw Sienna, Burnt sienna, Burnt Umber, Vandyke Brown, Lamp Black

COMPANY DETAILS:

NAME: TCP Global Corporation

ADDRESS: 6695 Rasha St, San Diego, CA. 92121

TEL: 858-909-2100

EMAIL ADDRESS: support@tcpglobal.com

1.2 EMERGENCY TELEPHONE

TEL: CHEMTREC 1-800-424-9300 TCP Global Corporation 858-909-2100

2. Hazard identification

2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

2.3..Other hazard: None

3. Composition/information on ingredients

COMPOSITION	PERCENTAGE	CAS NO	EC NO.	R SENTENCES	SYMBOL
Refer Attachment					

4. First aid measures

After skin Contact: If skin or hair contact occurs, Flush skin and hair with running water(and soap if available). Seek medical attention in event of irritation.



Revision: 05/05/2017

After eye Contact: If this products comes in contact with eyes: Wash out immediately with water.

If irritation continues, seek medical attention. Removal of contact lenses after an

eye injury should only be undertaken by skilled personnel.

After ingestion: Immediately give a glass of water. First aid is not generally required. If in doubt,

contact a Poisons Information Centre or a doctor.

After inhalation: If fumes, aerosols or combustion products are inhaled, remove from contaminated

area. Other measures are usually unnecessary.

5. Fire fighting Measures

Suitable These is no restriction on the type of extinguisher which may be used.

Extinguishing Media Use extinguishing media suitable for surrounding area.

Combustion products Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products

and resulting gases

typical of burning organic material.

Special Protective Equipment

Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine ect. as ignition may result.

6. Accidental release Measures

Clean up waste regularly and abnormal spills. Avoid breathing dust

and contact with skin and eyes . Wear protective

gloves, safety glasses and dust respirator. Use dry clean up procedures

and avoid generating dust.

Environmental

Personal Protection

Protection

Methods for cleaning up

Not applicable

Not applicable

7. Handling and storage

Store in cool, dry place in tightly closed receptacles. Keep ignition **Handling Precautions**

source away – Do not smoke.

Store in a cool location. Store away from flammable substances. **Storage Precautions**

8. Exposure controls/personal protection



Revision: 05/05/2017

Respiration Protection

Not required.

Hand Protection

The glove material has to be impermeable and resistant to the products/the substance/the preparation. Due to missing test no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rate of diffusion and the degradation

Eye Protection

Not required

Skin Protection

Generally the product does not irritate the skin. If skin or hair contact occurs, Flush skin and hair with running water(and soap if available)

9. Physical and chemical properties

Appearance	Paste	Auto flammability	Product is not self-igniting.
Color	As per attached file	Explosive properties	Product does not present an explosion hazard
Odor	No	Oxidizing properties	Not available
PH	8.0-9.0	Vapor pressure	Not available
Boiling point/boiling range	Not available	Relative density	1.07-1.35 g /cm ³
Melting point/melting range	Not available	Solubility in water	NO(after dry)
Flash point	Not available	Partition coefficient	Not available
Flammability	No	Others	No

10. Stability and reactivity



Revision: 05/05/2017

Conditions to Avoid

No decomposition if used according to specifications.

Material to Avoid No

Hazardous reactions No dangerous reactions known

11. Toxicological information

Inhalation No date available

Ingestion No date available

Skin contact Irritating effect possible

Eye contact Irritating effect possible

Carcinogenicity No date available

Other No

12. Ecological information

Biodegradability No date available

Bio-accumulative No date available

Aquatic toxicity No date available

Others No

13. Disposal considerations

Methods of disposal

Do not allow wash water from cleaning or process equipment to

enter drains.

Dangers in disposal No

14. Transport information

UN number No

Hazard class No

Packing group No

Air transport Unregulated
Sea transport Unregulated
Inland transport Unregulated



Revision: 05/05/2017

15. Regulatory information

15.1: Chemical safety assessment NO

15.2: Chemical safety assessment

NC

16. Other information

The information in this MSDS was obtained form sources which we believe are reliable . However , the information is provided without any warranty ,express or implied , regarding its correctness . The conditions or methods of handling ,storage , use or disposal of the product are beyond our control and may be beyond our knowledge . For this and other reasons , we do not assume responsibility and expressly disclaim liability for loss , damage or express arising out of or in any way connected with the handling , storage , use or disposal of the product . This MSDS was prepared and is to be used only for this product . If the product is used as a component in another product , this MSDS information may not be applicable.

			,	,					,			,		,	,		,		,						
Colour mposition (%)	CAS-No.	Titanium White	Flesh	Lemon Yellow	Yellow Ochre	Cadmium Yellow	Yellow Mid	Orange Yellow	Vermilion	Scarlet	Crimson	Light Green	Emerald Green	Sap Green	Viridian	Cerulean Blue	Cobalt Blue	Phthalocyanine Blue	Ultramarine Blue	Purple	Raw Sienna	Burnt sienna	Burnt Umber	Vandyke Brown	Lamp Black
Water	7732-18-5	42.7388%	53.3738%	51.7588%	49.2508%	50.7498%	54.3878%	53.3888%	55.0288%	50.9488%	51.7160%	50.5178%	50.3088%	47.8348%	49.7290%	48.0626%	40.9088%	48.9527%	52.7278%	47.8418%	49.8108%	46.6315%	50.9798%	51.7188%	64.2788%
Triethanolamine /2,2',2"-nitrilotriethanol	102-71-6	0.8600%	0.8500%	0.8400%	0.8500%	0.8400%	0.8400%	0.8600%	0.8300%	0.8800%	0.8400%	0.8100%	0.8700%	0.8400%	0.8200%	0.8641%	0.8500%	0.7300%	0.7600%	0.8800%	0.8620%	0.7100%	0.7700%	0.8000%	0.7500%
Hydroxyethyl Cellulose	9004-62-0	0.4200%	0.5000%	0.4800%	0.4080%	0.4410%	0.4210%	0.4800%	0.4200%	0.4500%	0.4250%	0.4110%	0.4800%	0.4120%	0.4020%	0.4400%	0.5000%	0.4140%	0.4210%	0.4310%	0.4510%	0.4360%	0.4020%	0.5000%	0.4360%
mix of 5-Chloro-2-methyl-4-isothiazolin-3-one(CAS#:26172-55-4) + 2- Methyl-4-isothiazolin-3-one(CAS#2682-20-4) (3:1)	55965-84-9	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%	0.0012%
Acrylic acid polymer	9003-01-4	22.9600%	20.0900%	22.9600%	23.3600%	22.6580%	23.8200%	20.8900%	22.1300%	22.5300%	23.3200%	22.3200%	21.0900%	23.0800%	22.2100%	24.3800%	20.5800%	22.6800%	22.4700%	22.3120%	22.6500%	23.1200%	22.1300%	20.8900%	25.5800%
2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate	25212-88-8	1.0200%	1.1000%	1.0800%	1.1400%	0.9600%	1.0100%	1.2300%	1.0900%	1.0300%	1.1478%	1.1100%	1.2100%	1.0320%	1.1678%	1.2121%	1.0200%	1.2221%	1.1200%	1.2140%	1.1420%	1.3213%	1.0870%	1.0900%	0.8140%
Calcium carbonate	471-34-1	14.0000%	15.0000%	15.2500%	11.6600%	18.1800%	15.3600%	18.0000%	15.0000%	18.3300%	19.3000%	18.3300%	15.0000%	20.6900%	16.6700%	11.6700%	15.8700%	20.0000%	12.5000%	25.0900%	16.6700%	23.0100%	18.1800%	15.0000%	
Iron hydraxide oxide (P.Y.42)	51274-00-1				13.3300%																8.3300%	2.1500%	2.5800%	3.0000%	
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (P.8.15:0)	147-14-8													0.9500%											
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (P.B.15:3)	147-14-8												0.2400%			1.5000%	0.2700%	6.0000%							
Ultramarine Blue (P.B.29)	57455-37-5																10.0000%		10.0000%						
Polychloro copper phthalocyanine(P.G.7)	1328-53-6											0.6700%			6.0000%	0.2000%									
Iron hydroxide oxide red (P.R.101)	1309-37-1																				0.0830%	2.6200%	3.7700%	3.0000%	
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3- hydroxynaphthalene-2-carboxamide (P.R.170)	2786-76-7									5.8300%															
3-hydroxy-N-(o-tolyl)-4-[(2,4,5-trichlorophenyl)azo]naphthalene-2- carboxamide (P.R.112)	6535-46-2		0.0350%						1.5000%																
calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2- naphthoate (P.R.57:1)	4/9/5281										3.2500%														
8,18-dichloro-5,15-diethyl-5,15-dihydrodiindolo(3,2-b:3',2'- m]triphenodioxazine(P.V.23)	6358-30-1																			2.2300%					
Carbon Black (P.BK.7)	1333-86-4																						0.1000%		8.1400%
Iron hydroxide oxide Black (P.BK.11)	1317-61-9																							4.0000%	
4,4'-((3,3'-dichloro(1,1'-biphenyl)-4,4'-diyl)bis(azo)]bis(2,4-dihhydro-5-methyl-2-phenyl-3H-pyrazol-3-one](P.O.13)	3520-72-7		0.0500%					0.3500%																	
2-(4-Methyl-2-nitrophenylazo)-N-phenyl-3-oxobutanamide; 2-[(4- Methyl-2-nitrophenyl)azo]-3-oxo-N-phenylbutanamide(P.Y.1)	2512-29-0					2.0600%	4.1600%	4.8000%						5.1600%											
2-[(4-Chloro-2-nitrophenyl)azo]-N-(2-chlorophenyl)-3- oxobutyramide(P.Y.3)	6486-23-3			7.6300%		4.1100%			4.0000%			5.8300%	2.8000%												
Titanium dioxide (P.W.6)	13463-67-7	18.0000%	9.0000%										8.0000%		3.0000%	11.6700%	10.0000%							-	

100,000% 100,