Revision:06/11/2018

## 1: Identification of the substance/Preparation and company

#### 1.1 PRODUCT IDENTIFICATION

PRODUCT NAME: US Art Supply 143 Piece-Mega Wood Box Art, Painting & Drawing Set, Now Contains a Bonus Color Mixing Wheel (848849009910)

PRODUCT TYPE: OIL PASTEL 24COLORS

**USE OF PRODUCT:** Paint by artist, amateur and students

COLOR: White, Pale Yellow, Lemon Yellow, Indian Yellow, Peach, Scarlet, Rose, Light Yellow Ochre, Yellow Green, Emerald Green, Sap Green, Light Green, Sky Blue, Cyan Blue, Grey Blue, Turquoise blue, Pale Purple, Purple, Burnt Sienna, Red Ochre, Yellow, L. C., Physical Research (1997) 11, 1997.

Yellowish-Brown, Neutral Grey, Deep Grey, Black

**COMPANY DETAILS: NAME:** *US Art Supply* 

ADDRESS: 6695 Rasha Street San Diego, CA 92121

TEL: (858) 909-2110

EMAIL ADDRESS: support@tcpglobal.com

1.2 EMERGENCY TELEPHONE

CHEMTREC (800) 424-9300 TCP GLOBAL (858) 909-2110

#### 2. Hazard identification

#### 2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

#### 2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

### 2.3..Other hazard: None

### 3. Composition/information on ingredients

COMPOSITION	PERCENTAGE	CAS NO	EC NO.	R SENTENCES	SYMBOL
Refer Attachment					

### 4. First aid measures

After skin Contact: If skin or hair contact occurs, flush skin and hair with running water (and soap if

available). Seek medical attention in event of irritation.

**After eye Contact:** If this product comes in contact with eye, wash out immediately with water.

If irritation continues, seek medical attention. Removal of contact lenses after an

eye injury should only be undertaken by skilled personnel.

**After ingestion:** Immediately give a glass of water. First aid is not generally required. If in doubt,

contact a Poisons Information Center or a doctor.

**After inhalation:** If fumes, aerosols or combustion products are inhaled, remove from contaminated

area. Other measures are usually unnecessary.

Revision:06/11/2018

# 5. Firefighting Measures

**Suitable** There is no restriction on the type of extinguisher which may be used.

**Extinguishing Media** Use extinguishing media suitable for surrounding area.

**Combustion products** Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products

and resulting gases typical of burning organic material.

**Special Protective** Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine ect.as ignition may result.

### 6. Accidental release Measures

**Personal Protection** Clean up waste regularly and abnormal spills. Avoid breathing dust

and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and

avoid generating dust.

Environmental Not applicable

Methods for

cleaning up

Not applicable

## 7. Handling and storage

**Handling Precautions** Store in cool, dry place in tightly closed receptacles. Keep ignition

source away. Do not smoke.

**Storage Precautions** Store in a cool location. Store away from flammable substances.

# 8. Exposure controls/personal protection

Respiration Protection

Not required.

**Hand Protection** The glove material has to be impermeable and resistant to the

products/the substance/the preparation. Due to missing test no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on

consideration of the penetration times, rate of diffusion and the

degradation

Revision:06/11/2018

**Eye Protection** Not required

Generally, the product does not irritate the skin. If skin or hair contact

**Skin Protection** occurs, flush skin and hair with running water(and soap if available).

# 9. Physical and chemical properties

Appearance Solid Auto flammability Product is not self-igniting.

Color As per attached file Explosive Product dose not present explosion

properties present exp.

Odor No Oxidizing properties Not available

PH 6.0-7.0 Vapor pressure Not available

Boiling point/boiling Not available range Relative density Not available

Melting Not available Solubility in water

point/melting range

Flash point Not available Partition coefficient Not available

Flammability No Others No

### 10. Stability and reactivity

**Conditions to Avoid** No decomposition if used according to specifications.

Material to Avoid No

**Hazardous reactions** No dangerous reactions known

### 11. Toxicological information

**Inhalation** No data available

**Ingestion** No data available

Skin contact Irritating effect possible

Eye contact Irritating effect possible

Carcinogenicity No data available

Other No.

### 12. Ecological information

Revision:06/11/2018

Bio accumulative No data available

Aquatic toxicity No data available

Others No

## 13. Disposal considerations

**Methods of disposal** Do not allow wash water from cleaning or process equipment to enter

drains.

Dangers in disposal No

# 14. Transport information

UN number No

Hazard class No

Packing group No

Air transport Unregulated
Sea transport Unregulated
Inland transport Unregulated

### 15. Regulatory information

15.1: Chemical safety assessment

NO

15.2: Chemical safety assessment

NO

#### 16. Other information

The information in this MSDS was obtained from sources which we believe are reliable, however, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared for and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Revision: 03/11/2018

### 1: Identification of the substance/Preparation and company

#### 1.1 PRODUCT IDENTIFICATION

PRODUCT NAME: US Art Supply 143 Piece-Mega Wood Box Art, Painting & Drawing Set, Now Contains a Bonus Color Mixing Wheel (848849009910)

PRODUCT TYPE: WATERCOLOR CAKE-24COLORS

**USE OF PRODUCT:** *Paint by artist, amateur and students* 

COLOR: Titanium White, Primary Red, Vermilion, Crimson, Magenta, Lemon yellow, Orange, Indian yellow, Yellow ochre, Yellow, Prussian Blue, Ultramarine Blue, Cerulean Blue, Cobalt Blue, Purple, Blue-Green, French green, Emerald Green, Sap Green,

Light Green, Olive Green, Burnt sienna, Umber, Lamp Black,

COMPANY DETAILS: NAME: US Art Supply

ADDRESS: 6695 Rasha Street San Diego, CA 92121

TEL: (858) 909-2110

EMAIL ADDRESS: support@tcpglobal.com

1.2 EMERGENCY TELEPHONE

CHEMTREC (800) 424-9300 TCP GLOBAL (858) 909-2110

#### 2. Hazard identification

#### 2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

#### 2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

### 2.3..Other hazard: None

# 3. Composition/information on ingredients

COMPOSITION	PERCENTAGE	CAS NO	EC NO.	R SENTENCES	SYMBOL
Refer Attachment					

#### 4. First aid measures

**After skin Contact:** If skin or hair contact occurs, flush skin and hair with running water (and soap if

available). Seek medical attention in event of irritation.

**After eye Contact:** If this product comes in contact with eye, wash out immediately with water.

If irritation continues, seek medical attention. Removal of contact lenses after an

eye injury should only be undertaken by skilled personnel.

**After ingestion:** Immediately give a glass of water. First aid is not generally required. If in doubt,

contact a Poisons Information Center or a doctor.

After inhalation: If fumes, aerosols or combustion products are inhaled, remove from contaminated

area. Other measures are usually unnecessary.

Revision: 03/11/2018

# 5. Firefighting Measures

**Suitable** There is no restriction on the type of extinguisher which may be used.

**Extinguishing Media** Use extinguishing media suitable for surrounding area.

**Combustion products** Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products

and resulting gases typical of burning organic material.

**Special Protective** Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine ect.as ignition may result.

### 6. Accidental release Measures

**Personal Protection** Clean up waste regularly and abnormal spills. Avoid breathing dust

and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and

avoid generating dust.

Environmental Protection

Not applicable

Methods for cleaning up

Not applicable

## 7. Handling and storage

**Handling Precautions** Store in cool, dry place in tightly closed receptacles. Keep ignition

source away. Do not smoke.

**Storage Precautions** Store in a cool location. Store away from flammable substances.

# 8. Exposure controls/personal protection

Respiration Protection

Not required.

**Hand Protection** The glove material has to be impermeable and resistant to the

products/the substance/the preparation. Due to missing test no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on

consideration of the penetration times, rate of diffusion and the

degradation

Revision: 03/11/2018

**Eye Protection** Not required

Generally, the product does not irritate the skin. If skin or hair contact

**Skin Protection** occurs, flush skin and hair with running water(and soap if available).

# 9. Physical and chemical properties

Appearance Solid Auto flammability Product is not self-igniting.

Color As per attached file Explosive present explosion

properties present exploration properties

Odor No Oxidizing properties Not available

PH 6.0-7.0 Vapor pressure Not available

Boiling point/boiling Not available range Relative density Not available

Melting Not available Solubility in water NO

point/melting range

Flash point Not available Partition coefficient Not available

Flammability No Others No

### 10. Stability and reactivity

**Conditions to Avoid** No decomposition if used according to specifications.

Material to Avoid No

**Hazardous reactions** No dangerous reactions known

## 11. Toxicological information

**Inhalation** No data available

**Ingestion** No data available

Skin contact Irritating effect possible

Eye contact Irritating effect possible

Carcinogenicity No data available

Other No.

### 12. Ecological information

Revision: 03/11/2018

Bio accumulative No data available

Aquatic toxicity No data available

Others No

## 13. Disposal considerations

**Methods of disposal** Do not allow wash water from cleaning or process equipment to enter

drains.

Dangers in disposal No

# 14. Transport information

UN number No

Hazard class No

Packing group No

Air transport Unregulated
Sea transport Unregulated
Inland transport Unregulated

### 15. Regulatory information

15.1: Chemical safety assessment

NO

15.2: Chemical safety assessment

NO

#### 16. Other information

The information in this MSDS was obtained from sources which we believe are reliable, however, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared for and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Colour																									
reposition (%)	CAS-No.	White	Pale Yellow	Lemon Yellow	Indian Yellow	Peach	Scarlet	Rose	Light Yellow Ochre	Yellow Green	Emerald Green	Sap Green	Light Green	Sky Blue	Grey Blue	Cyan Blue	Turquoise blue	Pale Purple	Purple	Burnt Sienna	Red Ochre	Yellowish- Brown	Neutral Grey	Deep Grey	Black
Liquid Paraffin	8012-95-1	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%
Calcium carbonate	471-34-1	30.00%	36.00%	41.00%	38.50%	34.85%	40.00%	41.30%	32.80%	40.90%	32.42%	34.90%	36.80%	36.87%	33.60%	35.20%	34.70%	34.90%	42.00%	37.00%	40.80%	33.80%	33.90%	34.00%	40.00%
Carasin	8001-75-0	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%
Steeric acid	57-11-4	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%
Iron hydraxide axide (P.Y.42)	51274-00-1								6.00%											8.00%		10.00%			
4,4"-[(3,3"-dichloro(1,1"-biphenyl)-4,4"-dy(bis/azo)]bis(2,4-dhhydro- 5-mathyl-2-phenyl-3H-pyrazol-3-one)(P.O.13)	3520-72-7				2.00%																				
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (P.B.15)	147-14-8											0.20%		0.13%	0.50%	1.10%	1.00%		0.30%						
Ultramerine Blue (P.B.29)	57455-37-5															2.70%							0.50%		
Polychloro copper phthalocyanine(P.G.7)	1328-53-6									0.10%	0.18%	1.50%	0.20%				3.30%								
Iron hydroxide oxide red (P.R.101)	1309-37-1																				3.00%				
Pyrolo[3,4-c]pyrole-1,4-dione, 3,8-tis(4-chloropheny()-2,5-dhydro- (P. R. 254)	84632-65-5					0.15%	3.00%	0.10%																	
5,12-dhydro-2,9-dmethylquino[2,3-b]acridine-7,14-dione(P.R122)	980-26-7							1.50%													0.60%				
8,18-dichloro-5,15-diethyl-5,15-dihydrodindolo[3,2-br3',2'- m]triphenodioxazine(P.V.23)	215247-95-3							0.10%										0.10%	0.70%						
Iron hydroxide oxide Black (PBK.11)	1317-61-9										1.60%	1.40%			0.90%						0.60%	1.20%	0.60%	5.00%	
Carbon Black (P.BK.7)	1333-86-4																								5.00%
2.2'-[(3.3'-dichloro[1,1'-biphenyl]-4.4'-diyl[bis(azo]]bis[N-(4-chloro- 2,5-direstricxyphenyl]-3-ax-obutynanida (P.Y.83)	5567-15-7				0.50%				1.20%																
2-[(4-Chloro-2-nitrophary(lizzo]-N-(2-chlorophary()-3- oxobutysamida(P.Y.3)	6486-23-3		2.00%							4.00%	0.80%	7.00%	3.00%												
Titanium dioxide (P.W.6)	13463-67-7	15.00%	7.00%	4.00%	4.00%	10.00%	2.00%	2.00%	5.00%		10.00%		5.00%	8.00%	10.00%	6.00%	6.00%	10.00%	2.00%				10.00%	6.00%	

100.00% 100.00%

					1 1					1	1	1		1		ı	ı			ı	1		1		
	CAS-No.	Titanium White	Primary Red	Vermillon	Crimeon	Megenta	Lemon Yellow	Indian yellow	Orange	Yellow Ochre	Yellow	Pruesian Blue	Ultramerine Blue	Cerulean Blue	Cobelt Blue	Purple	Blue-Green	French green	Emerald Green	Sap Green	Light Green	Olive Green	Burnt slenne	Umber	Lemp Black
Composition (%)			· ·															-			-				,
Dextrin	9004-53-9	15.32%	15,55%	15.73%	15.11%	16.91%	15.98%	15.77%	16.26%	18.12%	15.84%	15.77%	15.76%	15.32%	16.11%	16.32%	16.32%	15.91%	15.91%	18.55%	15.77%	15.89%	16.22%	15.91%	17.18%
Glycerine	56-81-5	4,68%	4.43%	4.23%	4.33%	4.13%	4.56%	4.56%	4.95%	4.52%	4.28%	4.89%	4.44%	4.36%	4.39%	4.36%	4.38%	4.93%	4.63%	4.46%	4.54%	4.98%	4.84%	3.98%	4.93%
4-chloro-3,5-xylenol	88-04-0	0.08%	0.08%	0.08%	0.08%	0.08%	0.06%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.08%	0.05%	0.08%	0.08%
Calcium carbonate	471-84-1	72.62%	91.61%	72.98%	75.50%	78.76%	72.40%	77.95%	73.73%	64.30%	75.82%	67.08%	59.74%	69.54%	67.24%	74.96%	69.16%	78.10%	69.70%	74.23%	71.43%	71.82%	69.38%	69.95%	71.88%
4,4'-(3,3'-dichloro(1,1'-biphenyl)-4,4'-dly(bis(szo))bis(2,4-dihlydro-5-methyl-2-phenyl-3H-pyrazol-3-one)(P.O.13)	3520-72-7							0.06%	5.00%																
Calcium 3-hydroxy-4-[(1-sulphonato-2-naphthy()azo]-2- naphthoale(P.R.63:1)	6417-63-0		2.40%		2.00%																				
3-hydroxy-W-(o-tolyl)-4-[(2,4,5-trichloropheryl)tzo]naphthalene- 2-carboxamide (P.R.112)	6535-46-2			2.50%	3.00%	0.90%									0.30%	0.40%						0.08%			
5,12-dhydro-2,9-dimethylquino[2,3-b]acridine-7,14- dione(P.R122)	980-28-7					0.80%																			
5,12-dhydroguino[2,3-b]scridine-7,14- dions.C20HI2N2C2(P.V.19)	1047-16-1					0.38%																			
8,18-dichioro-5,15-diethyl-5,15-dihydrodiindolo[3,2-b:3',2'- m] triphenodioxazine(P.V.23)	6958-30-1					0.08%									0.40%	0.90%									
Polychloro copper phthalocyanine(P.G.7)	1329-53-6													0.40%			10.00%	5.00%	1.50%		0.20%				
Iron hydroxide oxide red (P.R.101)	1309-67-1																						7.00%	0.12%	
Ultramerine Blue (P.B.29)	57455-67-5											10.00%	20.00%		11.00%										
29H,31H-phthelocyaninato(2-)-N29,N30,N31,N32 copper (P.B.15)	147-14-8											2.20%		3.48%	0.50%					3.00%		0.70%			
Iron hydroxide oxide Black (PBK.11)	1317-61-9															3.00%								8.80%	
Iron hydraxide axide yellow (P.Y.42)	51274-00-1									15.00%												6.50%	2.50%	4.40%	
Carbon Black (P.BK.7)	1333-06-4																								6.00%
2-[(4-Chloro-2-nitropheny()ezo]-N-(2-chloropheny()-9- oxobutyramide (P.Y.3)	6486-23-3			4.50%			6.00%											0.80%	8.50%		8.00%	0.05%			
2-(4-Methyl-2-nitrophenylazo)-N-phenyl-3-oxobutanemide: 2-[(4 Methyl-2-nitrophenyl)szo]-3-oxo-N-phenylbutanemide (P.Y.1)	2512 <del>-29-</del> 0										4.00%						0.10%	0.40%		1.70%					
2,2'-[(3,3'-dichioro[1,1'-bicheny(]-4,4'-dly(bis(szo)]bis[N-(4- chioro-2,5-direthoxypheny()-8-oxobulynemide (P.Y.83)	5567-15-7							1.60%																	
Titanium dioxide (P.W. 6)	13463-67-7	12.00%	1.50%				1.00%							6.87%					1.50%						
		100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100,00%	100.00%	100.00%	100,00%	100.00%	100.00%	100,00%	100.00%	100.00%	100.00%	100,00%	100.00%	100.00%