

SDS Report No. SHAHG1919579601

Date: Sep. 11, 2022

Page 1 of 1

NINGBO DONGCHUAN SWIMMING POOL EQUIPMENT CO., LTD. No.32 Dongbei Road, Dongqiao Industrial Park, Haishu District, Ningbo, China

| SGS Ref. No. | : | SHHL1908048272SD-SH |
|-----------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sample Name | : | Aviation Kerosene |
| End Uses: | Use | d for thermometer |
| Composition/Ingredient of | | See Section 3 Composition/information on ingredients on the SDS |
| sample (as per client submission) | · | report |
| Job Receiving Date | : | Sep 02, 2019 |
| Last Information Date | : | Sep 09, 2019 |
| SDS Preparation Period | : | Sep 02 – Sep 10, 2019 |
| Service Requested | : | Preparation of Safety Data Sheet (SDS) for the sample with submitted information. |
| Summary | : | As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached. |

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Cathy Cai Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755)8307 1443, creament of Docembers and the states of the company is a states of the company is a state of the company.

3^{-re}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com


Member of the SGS Group (SGS SA)

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022



Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

| | | (Contd. of page 1) |
|------------|--------------------------------------------------------------------------|--------------------|
| Hazard p | pictograms | |
| | | |
| | | |
| | | |
| GHS08 | | |
| GH300 | | |
| Signal w | rord Danger | |
| Hazard-c | letermining componentsof labelling: | |
| | (petroleum) | |
| Hazard s | statements | |
| H304 Ma | ay be fatal if swallowed and enters airways. | |
| Precautio | onary statements | |
| P101 | If medical advice is needed, have product container or label at hand. | |
| P102 | Keep out of reach of children. | |
| | Read label before use. | |
| P301+P3 | 310 IF SWALLOWED: Immediately call a POISONCENTER/ doctor. | |
| P331 | Do NOT induce vomiting. | |
| P405 | Store locked up. | |
| P501 | Dispose of contents/container in accordance with local/regional/national | al/international |
| | regulations. | |
| 2.3 Othe | r hazards | |
| Results of | of PBT and vPvB assessment | |
| PBT: No | t applicable | |
| VPVB: N | ot applicable | |

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 8008-20-6 Kerosine (petroleum)
- · Identification number(s)
- · EC number: 232-366-4
- · Index number: 649-404-00-4
- · Remark: This product contains substance Kerosine (petroleum) (CAS No.8008-20-6) 100% by weight.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptomspersist, consult a doctor.
- · After swallowing:
- Rinse out mouth with water.
- Never give anything by mouth to an unconscious person. Call a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

EU

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO, powderor water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazardsarising from the substanceormixture No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device. Wearfully protective suit.

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Use respiratory protective device against the effects of fumes/dust/aerosol. Avoid contact with eyes. Avoid contact with skin.

· 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections SeeSection 7 for information on safe handling. SeeSection 8 for information on personal protection equipment. SeeSection 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Prevent formation of aerosols. Avoid contact with skin and eyes. For the general occupational hygienic measuresrefer to section 8.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat. Keep respiratory protective device available.
7.2 Conditions for safe storage, including any incompatibilities: Requirements to be met by storerooms and receptacles: Store in a cool location.

Store only in the original receptacle. **Information about storage in one commonstorage facility:** Store away from foodstuffs. Store away from flammable substances.

(Contd. on page 4)

EU

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

(Contd. of page 3)

Store away from oxidising agents. • Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

8008-20-6 Kerosine(petroleum) (100%)

LEP (Spain) Long-term value: 200 mg/m³ vía dérmica

- · Regulatory information LEP (Spain): Límites de exposición profesional para agentes químicos
- · DNELs: Data not available
- · PNECs: Data not available
- · Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Based on composition shown in Section 3, the following messuresare suggested for occupational safety measure:

 Appropriate engineering controls: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. SeeSection 7 for information about design of technical facilities.

· Personal protective equipment:

- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

EU

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

(Contd. of page 4)

· Environmental exposure controls:

Control measuresmust be made in accordance with Community environmental protection legislation.

| · 9.1 Information on basic physical and chemical properties | | |
|---------------------------------------------------------------|--------------------------------------------|--|
| · Appearance: | | |
| Form: | Liquid | |
| Colour: | Light yellow | |
| · Odour: · Odour threshold: | Irritant Dete set susile ble | |
| · Odour threshold: | Data not available. | |
| pH-value: | Data not available. | |
| Melting point/freezing point: | Data not available. | |
| · Initial boiling point and boiling range: Data not available | | |
| · Flash point: | Data not available | |
| · Flammability (solid, gas): | Not applicable | |
| · Auto-Ignition temperature: | Data not available | |
| · Decomposition temperature: | Date not available. | |
| · Self-igniting: | Data not available | |
| · Explosive properties: | Data not available | |
| · Explosion limits: | | |
| Lower: | Data not available. | |
| Upper: | Data not available. | |
| · Oxidising properties | Data not available | |
| · Vapour pressure: | Data not available. | |
| · Density: | Data not available. | |
| · Relative density | Data not available. | |
| · Vapour density | Data not available. | |
| · Evaporation rate | Data not available. | |
| · Solubility in / Miscibility with | | |
| water: | Data not available | |
| · Partition coefficient: n-octanol/water | : Data not available. | |
| · Viscosity: | | |
| Dynamic: | Data not available. | |
| Kinematic: | Data not available. | |
| · 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No decomposition if used according to specification.

· 10.2 Chemical stability Stable under recommended storage conditions.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

⁻ EU

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicologicalinformation

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

8008-20-6 Kerosine (petroleum)

Oral LD50 2,835 mg/kg (rabbit)

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Seriouseyedamage/irritation: Basedon available data, the classification criteria are not met.
- · Respiratoryor skin sensitisation:Basedon available data, the classification criteria are not met.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity:Basedon available data, the classification criteria are not met.
- · Reproductivetoxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure:Basedon available data, the classification criteria are not met.
- · STOT-repeated exposure: Basedon available data, the classification criteria are not met.

· Aspiration hazard:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistenceand degradability No further relevant information available.
- · 12.3 BioaccumulativepotentialNo further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverseeffectsNo further relevant information available.

- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment):slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

EU

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

(Contd. of page 6)

SECTION 14: Transport information

The shipping of Kerosene filled glass thermometers is not regulated. Thermometers should be packaged in such a way to avoid breakage and does not leak from the container. Kerosene is hermetically sealed within the thermometer to prevent breakage.

The information below is for BULK kerosene shipments and does NOT apply to glass filled thermometers.

| · 14.1 UN-Number · ADR/RID/ADN,IMDG, IATA | UN1233 |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| · 14.2 UN proper shipping name · ADR/RID/ADN, IMDG, IATA | Kerosene (Kerosine) |
| · 14.3 Transport hazard class(es) | |
| · ADR/RID/ADN, IMDG, IATA · Class · Label | 3- Class 3 - Flammable and combustible liquid 49 CFR 173.120 3 - Flammable liquid |
| · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA | Ш |
| · 14.5 Environmental hazards | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to A Marpol and the IBC Code | Annex II of Not applicable. |
| · 14.8 Transport/Additional informatio | n: Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Not applicable |
| | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substanceor mixture

· MAK (German Maximum Workplace Concerntration)

Substanceis not listed.

· Directive 2012/18/EU

· Named dangeroussubstances- ANNEX I Substance is not listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/7/2019)

Substanceis not listed.

REACH Regulation Annex XVII Restriction (20/6/2019) See Section 16 for information about restriction of use.

Substanceis not listed.

· REACH Regulation Annex XIV Authorization List (13/6/2017)

Substanceis not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety data sheet Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2022

Version number 1.0

Revision: 09.09.2022

Trade name: U.S. Pool Supply Floating Jumping Frog Thermometer

SECTION 16: Other information

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and maybe beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereusespar Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Codefor DangerousGoods IATA: International Air Transport Association GHS: Globally Harmonised Systemof Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose,50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp.Tox. 1: Aspiration hazard - Category 1 د ماد ماد ماد ماد ما

End of document