

SDS Report Page 1 of 1 No. SHAHG1919579601 Date: Sep. 11, 2019

NINGBO DONGCHUAN SWIMMING POOL EQUIPMENT CO., LTD. No.32 Dongbei Road, Donggiao Industrial Park, Haishu District, Ningbo, China

SGS Ref. No. SHHL1908048272SD-SH

Sample Name Aviation Kerosene End Uses: Used for thermometer

Composition/Ingredient of See Section 3 Composition/information on ingredients on the SDS

sample (as per client submission) report

Job Receiving Date Sep 02, 2019 Last Information Date Sep 09, 2019

SDS Preparation Period Sep 02 - Sep 10, 2019

Preparation of Safety Data Sheet (SDS) for the sample with Service Requested

submitted information.

Summary As per request, the contents and formats of the SDS are prepared

in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No

2015/830, and is provided per attached.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Cathy Cai

Approved Signatory



3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

e sgs.china@sgs.com

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

SECTION 1: Identification of the substance/mixtureand of the company/undertaking

· 1.1 Product identifier

· Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

CAS Number: 8008-20-6 * EC number: 232-366-4

· Index number: 649-404-00-4

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance/ the mixture: Used for thermometer

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

U.S. Pool Supply

(Contact Factory: NINGBO DONGCHUAN SWIMMING POOL EQUIPMENT CO., LTD.)

6695 Rasha St. San Diego, CA. 92121

Tel: 858-909-2110

E-mail: support@tcpglobal.com

· Only Representative/ other EU contact point: Not available

Further information obtainable from:

NINGBO DONGCHUAN SWIMMING POOL EQUIPMENT CO., LTD.

· 1.4 Emergency telephone number:

Jeff Liu - Tel: 13858283787

FRANCE

Anti-poison center ORFILA (INRS) Tel: +33 (0)1 45 42 59 59

SPAIN

National Institute of Toxicology and Forensic Sciences Toxicology Information Service Tel: +34 91 562 04 20

· 1.5 Reference Number: SHHL1908048272SD-SH; SHAHG1919579601

SECTION 2: Hazards identification

The amount of kerosene in a single thermometer is approximately two cc. This section identifies the hazards of the substance, without regard of amount of kerosene present in the finished product

- · 2.1 Classification of the substanceor mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.

· Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substanceis classified and labelled according to Regulation (EC) No 1272/2008.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Kerosine (petroleum)

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicablevPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

8008-20-6 Kerosine (petroleum)

- · Identification number(s)
- **EC number:** 232-366-4
- · Index number: 649-404-00-4
- · Remark: This product contains substance Kerosine (petroleum) (CAS No.8008-20-6) 100% by weight.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptomspersist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Call a doctor immediately.

· 4.2 Most important symptomsand effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO, powderor water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazardsarising from the substanceormixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment:

Mouth respiratory protective device.

Wearfully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

- · 6.2 Environmental precautions:Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

SeeSection 7 for information on safe handling.

SeeSection 8 for information on personal protection equipment.

SeeSection 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

For the general occupational hygienic measuresrefer to section 8.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Information about storage in one commonstorage facility:

Store away from foodstuffs.

Store away from flammable substances.

(Contd. on page 4)

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

(Contd. of page 3)

Store away from oxidising agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

8008-20-6 Kerosine(petroleum) (100%)

LEP (Spain) Long-term value: 200 mg/m³

vía dérmica

- · Regulatory information LEP (Spain): Límites de exposición profesional para agentes químicos
- · DNELs: Data not available
- · PNECs: Data not available
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Based on composition shown in Section 3, the following messures are suggested for occupational safety measure:
- · Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

SeeSection 7 for information about design of technical facilities.

- · Personal protective equipment:
- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

(Contd. of page 4)

Environmental exposure controls:

Control measuresmust be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical	and chemical properties	
Appearance: Form:	Liquid	
Colour:	Liquid Light yellow	
Odour:	Irritant	
Odour threshold:	Data not available.	
pH-value:	Data not available.	
Melting point/freezing point:	Data not available.	
Initial boiling pointand boiling ra	nge: Data not available	
Flash point:	Data not available	
Flammability (solid, gas):	Not applicable	
Auto-Ignition temperature:	Data not available	
Decomposition temperature:	Date not available.	
Self-igniting:	Data not available	
Explosive properties:	Data not available	
Explosion limits:		
Lower:	Data not available.	
Upper:	Data not available.	
Oxidising properties	Data not available	
Vapour pressure:	Data not available.	
Density:	Data not available.	
Relative density	Data not available.	
Vapour density	Data not available.	
Evaporation rate	Data not available.	
Solubility in / Miscibility with		
water:	Data not available	
Partition coefficient: n-octanol/wa	ater: Data not available.	

Data not available.

No further relevant information available.

SECTION 10: Stability and reactivity

Kinematic:

· 9.2 Other information

- · 10.1 Reactivity No decomposition if used according to specification.
- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatiblematerials: No further relevant information available.

(Contd. on page 6)

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicologicalinformation

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

8008-20-6 Kerosine (petroleum)

Oral LD50 2,835 mg/kg (rabbit)

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Seriouseyedamage/irritation: Basedon available data, the classification criteria are not met.
- Respiratoryor skin sensitisation: Basedon available data, the classification criteria are not met.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Basedon available data, the classification criteria are not met.
- · Reproductivetoxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure:Basedon available data, the classification criteria are not met.
- · STOT-repeated exposure: Basedon available data, the classification criteria are not met.
- · Aspiration hazard:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistenceand degradability No further relevant information available.
- · 12.3 Bioaccumulativepotential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverseeffects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment):slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewagesystem.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

EU

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

(Contd. of page 6)

SECTION 14: Transport information

The shipping of Kerosene filled glass thermometers is not regulated. Thermometers should be packaged in such a way to avoid breakage and does not leak from the container. Kerosene is hermetically sealed within the thermometer to prevent breakage.

The information below is for BULK kerosene shipments and does NOT apply to glass filled thermometers.

· 14.1 UN-Number · ADR/RID/ADN,IMDG, IATA	UN1233
· 14.2 UN proper shipping name · ADR/RID/ADN, IMDG, IATA	Kerosene (Kerosine)
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN,IMDG, IATA · Class · Label	3- Class 3 - Flammable and combustible liquid 49 CFR 173.120 3 - Flammable liquid
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	III
· 14.5 Environmental hazards	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Marpol and the IBC Code	o Annex II of Not applicable.
· 14.8 Transport/Additional informa	tion: Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substanceor mixture
- · MAK (German Maximum Workplace Concerntration)

Substanceis not listed.

- Directive 2012/18/EU
- · Named dangeroussubstances- ANNEX I Substance is not listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/7/2019)

Substanceis not listed.

REACH Regulation Annex XVII Restriction (20/6/2019) See Section 16 for information about restriction of use.

Substanceis not listed.

REACH Regulation Annex XIV Authorization List (13/6/2017)

Substanceis not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessmenthas not been carried out.

Printing date 10.09.2019 Version number 1.0 Revision: 09.09.2019

Trade name: U.S. Pool Supply Floating Flamingo Thermometer (B0933JYW6J)

SECTION 16: Other information

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and maybe beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereusespar Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Codefor DangerousGoods

IATA: International Air Transport Association

GHS: Globally Harmonised Systemof Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose,50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Asp.Tox. 1: Aspiration hazard – Category 1

End of document

EU