1: Identification of the substance/Preparation and company

1.1 PRODUCT IDENTIFICATION

PRODUCT NAME: US Art Supply 145 Piece-Mega Wood Box Art, Painting & Drawing Set with Color Mixing Wheel and Bonus 2-9"x12" Drawing Sketching Paper Pads (848849000474) PRODUCT TYPE: <u>OIL PASTEL 24COLORS</u>

USE OF PRODUCT: Paint by artist, amateur and students COLOR : White, Pale Yellow, Lemon Yellow, Indian Yellow, Peach, Scarlet, Rose, Light Yellow Ochre, Yellow Green, Emerald Green, Sap Green, Light Green, Sky Blue, Cyan Blue, Grey Blue, Turquoise blue, Pale Purple, Purple, Burnt Sienna, Red Ochre, Yellowish-Brown, Neutral Grey, Deep Grey, Black COMPANY DETAILS: NAME: US Art Supply ADDRESS: 6695 Rasha Street San Diego, CA 92121 TEL: (858) 909-2110 EMAIL ADDRESS: support@tcpglobal.com 1.2 EMERGENCY TELEPHONE

CHEMTREC (800) 424-9300 TCP GLOBAL (858) 909-2110

2. Hazard identification

2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

2.3..Other hazard: None

3. Composition/information on ingredients

COMPOSITION	PERCENTAGE	CAS NO	EC NO.	R SENTENCES	SYMBOL
Refer Attachment					

4. First aid measures

After skin Contact:	If skin or hair contact occurs, flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
After eye Contact:	If this product comes in contact with eye, wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
After ingestion:	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Center or a doctor.
After inhalation:	If fumes, aerosols or combustion products are inhaled, remove from contaminated area. Other measures are usually unnecessary.

5. Firefighting Measures

Suitable Extinguishing Media	There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.
Combustion products and resulting gases	Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material.
Special Protective Equipment	Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine ect.as ignition may result.

6. Accidental release Measures

Personal Protection	Clean up waste regularly and abnormal spills. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust.

Environmental Protection	Not applicable		
Methods for cleaning up	Not applicable		

7. Handling and storage

Handling Precautions	Store in cool, dry place in tightly closed receptacles. Keep ignition
	source away. Do not smoke.
Storage Precautions	Store in a cool location. Store away from flammable substances.

8. Exposure controls/personal protection

Respiration Protection Not required.

Hand Protection The glove material has to be impermeable and resistant to the products/the substance/the preparation. Due to missing test no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rate of diffusion and the degradation

Eye Protection	Not required
----------------	--------------

Generally, the product does not irritate the skin. If skin or hair contact **Skin Protection** occurs, flush skin and hair with running water(and soap if available).

9. Physical and chemical properties

Appearance	Solid	Auto flammability	Product is not self-igniting.
Color	As per attached file	Explosive properties	Product dose not present explosion hazard
Odor	No	Oxidizing properties	Not available
PH	6.0-7.0	Vapor pressure	Not available
Boiling point/boiling range	Not available	Relative density	Not available
Melting point/melting range	Not available	Solubility in water	NO
Flash point	Not available	Partition coefficient	Not available
Flammability	No	Others	No

10. Stability and reactivity

Conditions to Avoid No decomposition if used according to specifications. Material to Avoid No **Hazardous reactions**

No dangerous reactions known

11. Toxicological information

Inhalation	No data available
Ingestion	No data available
Skin contact	Irritating effect possible
Eye contact	Irritating effect possible
Carcinogenicity	No data available
Other	No

12. Ecological information

Biodegradability	No data available
Bio accumulative	No data available
Aquatic toxicity	No data available
Others	No

13. Disposal considerations

Methods of disposalDo not allow wash water from cleaning or process equipment to enter
drains.Dangers in disposalNo

14. Transport information

UN number	No
Hazard class	No
Packing group	No
Air transport	Unregulated
Sea transport	Unregulated
Inland transport	Unregulated

15. Regulatory information

15.1: Chemical safety assessment NO

15.2: Chemical safety assessment

NO

16. Other information

The information in this MSDS was obtained from sources which we believe are reliable, however, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared for and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

1: Identification of the substance/Preparation and company **PRODUCT IDENTIFICATION** 1.1 PRODUCT NAME: US Art Supply 145 Piece-Mega Wood Box Art, Painting & Drawing Set with Color Mixing Wheel and Bonus 2-9"x12" Drawing Sketching Paper Pads (848849000474) PRODUCT TYPE: <u>WATERCOLOR CAKE-24COLORS</u> **USE OF PRODUCT:** Paint by artist, amateur and students COLOR: Titanium White, Primary Red, Vermilion, Crimson, Magenta, Lemon yellow, Orange, Indian yellow, Yellow ochre, Yellow, Prussian Blue, Ultramarine Blue, Cerulean Blue, Cobalt Blue, Purple, Blue-Green, French green, Emerald Green, Sap Green, Light Green, Olive Green, Burnt sienna, Umber, Lamp Black, **COMPANY DETAILS: NAME:** US Art Supply ADDRESS: 6695 Rasha Street San Diego, CA 92121 TEL: (858) 909-2110 EMAIL ADDRESS: support@tcpglobal.com **1.2 EMERGENCY TELEPHONE** CHEMTREC (800) 424-9300 TCP GLOBAL (858) 909-2110 2. Hazard identification

2.1. Classification of the mixture

The product is not classified according to regulation (EC) No 1272/2008

2.2. Label elements

The products does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

2.3..Other hazard: None

3. Composition/information on ingredients

COMPOSITION	PERCENTAGE	CAS NO	EC NO.	R SENTENCES	SYMBOL
Refer Attachment					

4. First aid measures

After skin Contact:	If skin or hair contact occurs, flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
After eye Contact:	If this product comes in contact with eye, wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
After ingestion:	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Center or a doctor.
After inhalation:	If fumes, aerosols or combustion products are inhaled, remove from contaminated area. Other measures are usually unnecessary.

5. Firefighting Measures

Suitable Extinguishing Media	There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.
Combustion products and resulting gases	Carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material.
Special Protective Equipment	Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine ect.as ignition may result.

6. Accidental release Measures

Personal Protection	Clean up waste regularly and abnormal spills. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust.

Environmental Protection	Not applicable
Methods for cleaning up	Not applicable

7. Handling and storage

Handling Precautions	Store in cool, dry place in tightly closed receptacles. Keep ignition
	source away. Do not smoke.
Storage Precautions	Store in a cool location. Store away from flammable substances.

8. Exposure controls/personal protection

Respiration Protection Not required.

Hand Protection The glove material has to be impermeable and resistant to the products/the substance/the preparation. Due to missing test no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rate of diffusion and the degradation

Eye Protection	Not required
----------------	--------------

Generally, the product does not irritate the skin. If skin or hair contact
occurs, flush skin and hair with running water(and soap if available).

9. Physical and chemical properties

Appearance	Solid	Auto flammability	Product is not self-igniting.
Color	As per attached file	Explosive properties	Product dose not present explosion hazard
Odor	No	Oxidizing properties	Not available
PH	6.0-7.0	Vapor pressure	Not available
Boiling point/boiling range	Not available	Relative density	Not available
Melting point/melting range	Not available	Solubility in water	NO
Flash point	Not available	Partition coefficient	Not available
Flammability	No	Others	No

10. Stability and reactivity

Conditions to AvoidNo decomposition if used according to specifications.Material to AvoidNo

Hazardous reactions No dangerous reactions known

11. Toxicological information

Inhalation	No data available
Ingestion	No data available
Skin contact	Irritating effect possible
Eye contact	Irritating effect possible
Carcinogenicity	No data available
Other	No

12. Ecological information

Biodegradability	No data available
Bio accumulative	No data available
Aquatic toxicity	No data available
Others	No

13. Disposal considerations

Methods of disposalDo not allow wash water from cleaning or process equipment to enter
drains.Dangers in disposalNo

14. Transport information

UN number	No
Hazard class	No
Packing group	No
Air transport	Unregulated
Sea transport	Unregulated
Inland transport	Unregulated

15. Regulatory information

15.1: Chemical safety assessment

15.2: Chemical safety assessment

NO

16. Other information

The information in this MSDS was obtained from sources which we believe are reliable, however, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared for and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Colour meatition (%)	CAS-No.	White	Pale Yellow	Lemon Yellow	Indian Yellow	Peach	Scarlet	Rose	Light Yellow Ochre	Yellow Green	Emerald Green	Sap Green	Light Green	Sky Blue	Grey Blue	Cyan Blue	Turquoise blue	Pale Purple	Purple	Burnt Sienna	Red Ochre	Yellowish- Brown	Neutral Grey	Deep Grey	Black
informula (a)																									
Liquid Paraffin	8012-95-1	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%
Calcium carbonate	471-34-1	30.00%	36.00%	41.00%	38.50%	34.85%	40.00%	41.30%	32.80%	40.90%	32,42%	34.90%	36.80%	36.87%	33.60%	35.20%	34.70%	34.90%	42.00%	37.00%	40.80%	33.80%	33.90%	34.00%	40.00%
Censin	8001-75-0	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%	10.00%
Stearic acid	57-11-4	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%	20.00%
Iron hydraxide axide (P.Y.42)	51274-00-1								6.00%											8.00%		10.00%			i T
4,4"-[[3,3"-dichloro[1,1"-biphenyl]~4,4"-diy(bis(szo)]bis[2,4-dirhydro- 5-methyl-2-phenyl-3H-pyrazol-3-one](P.O.13)	3520-72-7				2.00%																				
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (P.B.15)	147-14-8											0.20%		0.13%	0.50%	1.10%	1.00%		0.30%						
Ultramerine Blue (P.B.29)	57455-37-5															2.70%							0.50%		
Polychioro copper phthalocyanine(P.G.7)	1328-53-6									0.10%	0.18%	1.50%	0.20%				3.30%								
itan hydraxide axide red (P.R.101)	1309-37-1																				3.00%				
Pymolo[3.4-c]pymole=1,4-dione, 3.6-bis/4-chloropheny()=2,5-ditydro- (P.R.254)	84632-65-5					0.15%	3.00%	0.10%																	
5,12-dhydro-2,9-dimethylquino[2,3-b]acidine-7,14-dione(P.R122)	980-26-7							1.50%													0.60%				1
8,18-dichioro-5,15-dikthyl-5,15-ditydrodindolo[3,2-b:3',2'- m]tripherodioxazine(P.V.23)	215247-95-3							0.10%										0.10%	0.70%						1
Iron hydroxida oxida Black (PBK.11)	1317-61-9										1.60%	1.40%			0.90%						0.60%	1.20%	0.60%	5.00%	í T
Cation Black (P.BK 7)	1333-86-4																								5.00%
2.2'-[(3.3'-dictiono[1.1'-biphenyl]-4.4'-dl/[bis(azo)]bis[N-(4-chioro- 2.5-dimethoxyphenyl]-3-oxobutynamida (P.Y.83)	5567-15-7				0.50%				1.20%																
2-[(4-Chloro-2-nitropheny(lazo]-N-(2-chloropheny()-3- coxobutynamide(P.Y.3)	6486-23-3		2.00%							4.00%	0.80%	7.00%	3.00%												1
Titanium dioxide (P.W.6)	13463-67-7	15.00%	7.00%	4.00%	4.00%	10.00%	2.00%	2.00%	5.00%		10.00%		5.00%	8.00%	10.00%	6.00%	6.00%	10.00%	2.00%				10.00%	6.00%	

100.00% 100.00

	CAS-No.	Titanium White	Primery Red	Vermillan	Climeon	Macanta	Lemon Yellow	indian velicer	Oranga	Yellow Ochre	Yellow	Prussian Blue	Ultramerine Blue	Cerulean Blue	Cobait Blue	Purple	Blue-Green	French green	Emerald Green	Sap Green	Light Green	Cilive Green	Burnt sierree	Umber	Lemo Bleck
Composition (%)	0010.		r may nee	vening.	Cillion			- Jack John		Tellow Come	1000	rices and code			cada da	rupe	uur uun						Contraction of	5	callo olaci.
Dextrin	9004-53-9	15.32%	15,55%	15.73%	15.11%	16.91%	15.99%	15.77%	16.25%	16.12%	15.84%	15.77%	15.76%	15.32%	16.11%	16.32%	16.32%	15.91%	15.91%	16.55%	15.77%	15.89%	16.22%	15.91%	17.18%
Glycerine	56-61-5	4,68%	4.43%	4.23%	4.33%	4.13%	4.58%	4.56%	4.95%	4.52%	4.28%	4.89%	4.44%	4.36%	4.39%	4.36%	4.36%	4.93%	4.69%	4.48%	4.54%	4.98%	4.84%	3.96%	4.93%
4-chloro-9,5-xylenol	88-04-0	0.08%	0.08%	0.06%	0.06%	0.08%	0.08%	0.08%	0.06%	0.08%	0.08%	0.08%	0.05%	0.08%	0.08%	0.08%	0.08%	0.05%	0.05%	0.08%	0.08%	0.08%	0.06%	0.06%	0.08%
Calcium carbonate	471-64-1	72.62%	91.61%	72.98%	75.50%	78.78%	72.40%	77.95%	73.73%	64.30%	75.82%	67.08%	59.74%	69.54%	67.24%	74.96%	69.16%	78.10%	69.70%	74.23%	71.43%	71.82%	69.39%	68.95%	71.88%
4,4'-[(3,3'-dichloro(1,1'-biphery()-4,4'-dy(bis(azo))bis[2,4- dihtydro-5-methyl-2-pheryl-3i+pyrazol-5-one](P.O.13)	3520-72-7							0.06%	5.00%																
Calcium 3-hydroxy-4-[(1-aulphonato-2-naphthy()azo]-2- naphthoals(P.R.63=1)	6417-63-0		2.40%		2.00%																				
3-hydroxy-N-(o-toly()-4-[(2,4,5-trichloropheny()azo] naphthalene- 2-carboxamide (P.R. 112)	6535-48-2			2.50%	3.00%	0.90%									0.30%	0.40%						0.08%			
5,12-ditydro-2,9-dimethylquino[2,3-b]actidine-7,14- dione(P.R122)	980-28-7					0.80%																			
5.12-dhydroquino[2.3-b]acridine-7,14- diona.C20H12N2C2(P.V.19)	1047-18-1					0.38%																			
8,18-dichioro-5,15-distryl-5,15-ditydrodindolo[8,2-b;3',2'- m]triphenodioxazine(P.V.23)	6358-30-1					0.08%									0.40%	0.90%									
Polychioro copper phthalocyanine(P.G.7)	1328-53-6													0.40%			10.00%	5.00%	1.50%		0.20%				
iron hydroxide codde red (P.R.101)	1309-67-1																						7.00%	0.12%	
Ultremarine Blue (P.B.29)	57455-87-5											10.00%	20.00%		11.00%										
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (P.8.15)	147-14-8											2.20%		3.45%	0.50%					3.00%		0.70%			
Iron hydroxide oxide Black (PBK.11)	1317-61-9															3.00%								6.60%	
Iron hydraxide axide yellow (P.Y.42)	51274-00-1									15.00%												6.50%	2.50%	4.40%	
Carbon Black (P.BK.7)	1333-86-4																								6.00%
2-[(4-Chloro-2-nitropheny()ezo] -N-(2-chloropheny()-3- oxobutynamide (P.Y.3)	6486-23-3			4.50%			6.00%											0.60%	8.50%		8.00%	0.05%			
2-(4-Methyl-2-nitropherylazo)-N-pheryl-3-oxobutanemide: 2-[(4 Methyl-2-nitropheryl)szo]-3-oxo-N-pherylbutanemide (P.Y.1)	2512-29-0										4.00%						0.10%	0.40%		1.70%					
2,2'-[(3,3'-dichioro[1,1'-biphenyi]-4,4'-diy(bis(azo))bis[N-(4- chioro-2,5-dimethoxyphenyi)-8-oxobutynamide (P.Y.83)	6567-15-7							1.60%																	
Titanium dioxide (P.W. 6)	13463-67-7	12.00%	1.50%				1.00%							6.87%					1.50%						
		100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%